Onsite Dust Monitoring

7/1/2020 – 7/31/2020

Net Dust (All Downwind Stations)



Net dust represents the dust that may be leaving the Site. This is determined by subtracting upwind data (dust blowing onto the Site from other sources) from downwind data. This helps us monitor that dust control actions are effective. No data was recorded over the 4th of July weekend (July 3-5).

Offsite Dust Monitoring

Total dust readings including upwind dust contribution

Weekly - 7/24/2020 – 7/30/2020

Individual Offsite Stations:
24-Hr Average Dust Readings (µg/m³)











Notes: California Ambient Air Quality Standard for PM10 averaged over 24 hours is 50 µg/m³. National Ambient Air Quality Standard for PM10 averaged over 24 hours is 150 µg/m³.

South Coast Basin Regional PM10:
24-Hr Average Readings (µg/m³)



Closest regional station provided for comparison to regional trends

24-hour average concentrations were below air quality standards. Winds were blowing primarily from the west/northwest, with stronger winds in the 10-20 mph range.

Onsite Dust Monitoring

Total dust readings including upwind dust contribution

Weekly - 7/24/2020 – 7/30/2020

Individual Onsite Stations: 24-Hr Average Dust Readings (µg/m³)







South Coast Basin Regional PM10: 24-Hr Average Readings (µg/m³)



Closest regional station provided for comparison to regional trends



Notes: California Ambient Air Quality Standard for PM10 averaged over 24 hours is 50 µg/m³. National Ambient Air Quality Standard for PM10 averaged over 24 hours is 150 µg/m³.

24-hour average concentrations were below air quality standards. Winds were blowing primarily from the west/northwest, with stronger winds in the 10-20 mph range.