
Onsite Dust Monitoring

4/1/2022 - 4/30/2022





Net dust represents the dust that may be leaving the Site. This is determined by subtracting upwind data (dust blowing onto the Site from other sources) from downwind data. This helps us monitor that dust control actions are effective.


*Net dust for one 2-hour period in the evening of April 8 exceeded 25 μ g/m³. Wind was blowing from the west towards the Site during this time frame.


Individual Offsite Stations: 24-Hr Average Dust Readings (μg/m³) CS DT-1 CS DT-2 CS DT-3 150 CS DT-4 150 CS DT-5

Notes: California Ambient Air Quality Standard for PM10 averaged over 24 hours is 50 μ g/m³. National Ambient Air Quality Standard for PM10 averaged over 24 hours is 150 μ g/m³.

Offsite Dust Monitoring

Total dust readings including upwind dust contribution Weekly – 4/15/2022 – 4/21/2022








24-hour average concentrations were below air quality standards. Winds were blowing primarily from the west/southwest, with stronger winds in the 10-20 mph range.

Closest regional station provided for comparison to regional trends


Individual Onsite Stations: 24-Hr Average Dust Readings (μg/m³)








South Coast Basin Regional PM10: 24-Hr Average Readings (μg/m³)



Closest regional station provided for comparison to regional trends

Onsite Dust Monitoring

Total dust readings including upwind dust contribution Weekly – 4/15/2022 – 4/21/2022



Notes: California
Ambient Air Quality
Standard for PM10
averaged over 24 hours
is 50 μg/m³. National
Ambient Air Quality
Standard for PM10
averaged over 24 hours
is 150 μg/m³.

24-hour average concentrations were below air quality standards. Winds were blowing primarily from the west/southwest, with stronger winds in the 10-20 mph range.