

Onsite Dust Monitoring


8/21/2023 - 8/27/2023





Net dust represents the dust that may be leaving the Site. This is determined by subtracting upwind data (dust blowing onto the Site from other sources) from downwind data. This helps us monitor that dust control actions are effective.


Individual Offsite Stations: 24-Hr Average Dust Readings (μg/m³)












Notes: California Ambient Air Quality Standard for PM10 averaged over 24 hours is 50 μ g/m³. National Ambient Air Quality Standard for PM10 averaged over 24 hours is 150 μ g/m³.

Offsite Dust Monitoring

Total dust readings including upwind dust contribution Weekly – 8/21/2023 – 8/27/2023





Closest regional station provided for comparison to regional trends.


24-hour average concentrations were below air quality standards. Winds were blowing from the west/southwest with stronger winds in the 10-20 mph range. Dust monitoring at CS DT-5 paused starting Aug. 18 due to improvement work along Banning Ave.


Individual Onsite Stations: 24-Hr Average Dust Readings (μg/m³) 150 DT-1 150 DT-2 100 150 DT-3 100 150 DT-4 100 150 DT-5 100 150 DT-6 100 16

Notes: California Ambient Air Quality Standard for PM10 averaged over 24 hours is $50 \, \mu g/m^3$. National Ambient Air Quality Standard for PM10 averaged over 24 hours is $150 \, \mu g/m^3$.

Onsite Dust Monitoring

Total dust readings including upwind dust contribution Weekly – 8/21/2023 – 8/27/2023





quality standards. Winds were blowing from the west/southwest with stronger winds in the 10-20 mph range.

concentrations were below air

24-hour average

Closest regional station provided for comparison to regional trends