

No concentrations exceeded health-based screening levels

**WEEKLY AIR MONITORING
SUMMARY OF LABORATORY DATA
2/16/2026 - 2/23/2026
FINAL REMEDY CONSTRUCTION
ASCON LANDFILL SITE**

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-01								
	2/16-2/17/2026	2/17-2/18/2026	2/18-2/19/2026	2/19-2/20/2026	2/20-2/21/2026	2/21-2/22/2026	2/22-2/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.90	< 0.81	< 0.94	< 0.80	< 0.93	< 0.92	< 0.91	3,800	No
1,1,2,2-Tetrachloroethane	< 0.95	< 0.85	< 0.99	< 0.84	< 0.97	< 0.96	< 0.95	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 0.96	< 0.87	< 1.0	< 0.85	< 0.99	< 0.98	< 0.97	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.90	< 0.81	< 0.94	< 0.80	< 0.93	< 0.92	< 0.91	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.80	< 0.72	< 0.83	< 0.71	< 0.82	< 0.81	< 0.80	4.0	No
1,2,4-Trimethylbenzene	< 0.92	< 0.83	< 0.96	< 0.81	< 0.95	< 0.93	< 0.92	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.37	< 0.33	< 0.38	< 0.33	< 0.38	< 0.37	< 0.37	1.9	No
1,2-Dichloropropane	< 0.94	< 0.85	< 0.98	< 0.83	< 0.96	< 0.95	< 0.94	9.2	No
1,3,5-Trimethylbenzene	< 0.95	< 0.85	< 0.99	< 0.84	< 0.97	< 0.96	< 0.95	4.0	No
1,3-Butadiene	< 0.93	< 0.84	< 0.97	< 0.82	< 0.95	< 0.94	< 0.93	2.0	No
1,4-Dichlorobenzene	< 0.92	< 0.83	< 0.96	< 0.81	< 0.95	< 0.93	< 0.92	1,200	No
1,4-Dioxane	< 0.93	< 0.84	< 0.97	< 0.82	< 0.95	< 0.94	< 0.93	720	No
2-Butanone (MEK)	< 1.8	< 1.6	< 1.9	< 1.6	< 1.8	< 1.8	< 1.8	5,200 ⁽³⁾	No
2-Hexanone	< 1.8	< 1.6	< 1.9	< 1.6	< 1.9	< 1.9	< 1.8	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 1.8	< 1.7	< 1.9	< 1.6	< 1.9	< 1.9	< 1.8	3,100 ⁽³⁾	No
Acetone	< 9.0	< 8.1	< 9.4	< 7.9	11	9.9	12	19,000 ⁽⁴⁾	No
Acrolein	< 0.54	< 0.49	< 0.57	< 0.48	< 0.56	< 0.55	< 0.55	0.92	No
Acrylonitrile	< 0.44	< 0.40	< 0.46	< 0.39	< 0.45	< 0.45	< 0.44	2.0	No
Benzene	< 1.8	< 1.6	< 1.8	< 1.6	< 1.8	< 1.8	< 1.8	19	No
Bromomethane	< 0.89	< 0.81	< 0.93	< 0.79	< 0.92	< 0.91	< 0.90	78	No
Carbon Disulfide	< 1.8	< 1.6	< 1.9	< 1.6	< 1.9	< 1.8	< 1.8	800	No
Carbon Tetrachloride	< 0.89	< 0.81	< 0.93	< 0.79	< 0.92	< 0.91	< 0.90	190	No
Chlorobenzene	< 0.94	< 0.85	< 0.98	< 0.83	< 0.96	< 0.95	< 0.94	1,000	No
Chloroethane (Ethyl Chloride)	< 0.96	< 0.87	< 1.0	< 0.85	< 0.99	< 0.98	< 0.97	34,000	No
Chloroform	< 0.93	< 0.84	< 0.97	< 0.82	< 0.95	< 0.94	< 0.93	3.9	No
Chloromethane	1.6	< 0.84	1.6	< 0.82	< 0.95	< 0.94	< 0.93	620	No
cis-1,2-Dichloroethene	< 0.90	< 0.81	< 0.94	< 0.80	< 0.93	< 0.92	< 0.91	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 0.92	< 0.83	< 0.96	< 0.81	< 0.95	< 0.93	< 0.92	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.80	2.1	< 0.83	< 0.71	0.88	0.83	1.4	1,000	No
Ethylbenzene	< 0.95	< 0.86	< 1.0	< 0.84	< 0.98	< 0.97	< 0.96	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.11	< 0.098	< 0.11	< 0.096	< 0.11	< 0.11	< 0.11	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.88	< 0.80	< 0.92	< 0.78	< 0.91	< 0.90	< 0.89	400	No
Isopropyl Alcohol (Isopropanol)	< 7.2	< 6.5	< 7.5	< 6.4	< 7.4	< 7.3	< 7.2	7,000	No
m,p-Xylenes	< 1.9	< 1.7	< 2.0	< 1.7	< 1.9	< 1.9	< 1.9	2,600	No
Methyl Methacrylate	< 1.9	< 1.7	< 1.9	< 1.6	< 1.9	< 1.9	< 1.9	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 0.93	< 0.84	< 0.97	< 0.82	< 0.95	< 0.94	< 0.93	3,600	No
Naphthalene	< 1.8	< 1.6	< 1.9	< 1.6	< 1.8	< 1.8	< 1.8	9.0	No
n-Hexane	< 0.91	< 0.82	< 0.95	< 0.81	< 0.94	< 0.93	1.1	1,400	No
n-Nonane	< 0.92	< 0.83	< 0.96	< 0.81	< 0.95	< 0.93	< 0.92	21 ⁽³⁾	No
o-Xylene	< 0.95	< 0.85	< 0.99	< 0.84	< 0.97	< 0.96	< 0.95	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 0.92	< 0.83	< 0.96	< 0.81	< 0.95	< 0.93	1.3	3,000	No
Styrene	< 0.93	< 0.84	< 0.97	< 0.82	< 0.95	< 0.94	< 0.93	900	No
Tetrachloroethene (PCE)	< 0.94	< 0.85	< 0.98	< 0.83	< 0.96	< 0.95	< 0.94	41	No
Toluene	< 0.95	< 0.86	< 1.0	< 0.84	2.0	1.9	2.1	420	No
Trichloroethene (TCE)	< 0.92	< 0.83	< 0.96	< 0.81	< 0.95	< 0.93	< 0.92	2.2	No
Trichlorofluoromethane (CFC 11)	1.0	1.3	1.2	1.4	1.3	1.3	1.4	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.81	< 0.73	< 0.84	< 0.71	< 0.83	< 0.82	< 0.81	5,200 ⁽³⁾	No
Vinyl Acetate	< 9.3	< 8.4	< 9.7	< 8.2	< 9.5	< 9.4	< 9.3	2,500	No
Vinyl Chloride	< 0.93	< 0.84	< 0.97	< 0.82	< 0.95	< 0.94	< 0.93	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.

No concentrations exceeded health-based screening levels

**WEEKLY AIR MONITORING
SUMMARY OF LABORATORY DATA
2/16/2026 - 2/23/2026
FINAL REMEDY CONSTRUCTION
ASCON LANDFILL SITE**

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-02								
	2/16-2/17/2026	2/17-2/18/2026	2/18-2/19/2026	2/19-2/20/2026	2/20-2/21/2026	2/21-2/22/2026	2/22-2/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.83	< 0.84	< 0.96	< 0.90	< 0.95	< 0.98	< 0.96	3,800	No
1,1,2,2-Tetrachloroethane	< 0.87	< 0.89	< 1.0	< 0.94	< 0.99	< 1.0	< 1.0	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 0.89	< 0.90	< 1.0	< 0.96	< 1.0	< 1.1	< 1.0	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.83	< 0.84	< 0.96	< 0.90	< 0.95	< 0.98	< 0.96	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.73	< 0.75	< 0.85	< 0.79	< 0.84	< 0.87	< 0.85	4.0	No
1,2,4-Trimethylbenzene	< 0.85	< 0.86	< 0.98	< 0.91	< 0.97	< 1.0	< 0.98	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.34	< 0.34	< 0.39	< 0.37	< 0.39	< 0.40	< 0.39	1.9	No
1,2-Dichloropropane	< 0.86	< 0.88	< 1.0	< 0.93	< 0.98	< 1.0	< 1.0	9.2	No
1,3,5-Trimethylbenzene	< 0.87	< 0.89	< 1.0	< 0.94	< 0.99	< 1.0	< 1.0	4.0	No
1,3-Butadiene	< 0.85	< 0.87	< 0.99	< 0.92	< 0.98	< 1.0	< 0.99	2.0	No
1,4-Dichlorobenzene	< 0.85	< 0.86	< 0.98	< 0.91	< 0.97	< 1.0	< 0.98	1,200	No
1,4-Dioxane	< 0.85	< 0.87	< 0.99	< 0.92	< 0.98	< 1.0	< 0.99	720	No
2-Butanone (MEK)	< 1.6	< 1.7	< 1.9	< 1.8	< 1.9	< 1.9	< 1.9	5,200 ⁽³⁾	No
2-Hexanone	< 1.7	< 1.7	< 1.9	< 1.8	< 1.9	< 2.0	< 1.9	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 1.7	< 1.7	< 2.0	< 1.8	< 1.9	< 2.0	< 2.0	3,100 ⁽³⁾	No
Acetone	< 8.2	< 8.4	81	< 8.9	11	12	12	19,000 ⁽⁴⁾	No
Acrolein	< 0.50	< 0.51	< 0.58	< 0.54	< 0.57	< 0.59	< 0.58	0.92	No
Acrylonitrile	< 0.40	< 0.41	< 0.47	< 0.44	< 0.46	< 0.48	< 0.47	2.0	No
Benzene	< 1.6	< 1.6	< 1.9	< 1.7	< 1.8	< 1.9	< 1.9	19	No
Bromomethane	< 0.82	< 0.84	< 0.95	< 0.89	< 0.94	< 0.97	< 0.95	78	No
Carbon Disulfide	< 1.7	< 1.7	< 1.9	< 1.8	< 1.9	< 2.0	< 1.9	800	No
Carbon Tetrachloride	< 0.82	< 0.84	< 0.95	< 0.89	< 0.94	< 0.97	< 0.95	190	No
Chlorobenzene	< 0.86	< 0.88	< 1.0	< 0.93	< 0.98	< 1.0	< 1.0	1,000	No
Chloroethane (Ethyl Chloride)	< 0.89	< 0.90	< 1.0	< 0.96	< 1.0	< 1.1	< 1.0	34,000	No
Chloroform	< 0.85	< 0.87	< 0.99	< 0.92	< 0.98	< 1.0	< 0.99	3.9	No
Chloromethane	1.7	< 0.87	1.6	< 0.92	< 0.98	< 1.0	< 0.99	620	No
cis-1,2-Dichloroethene	< 0.83	< 0.84	< 0.96	< 0.90	< 0.95	< 0.98	< 0.96	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 0.85	< 0.86	< 0.98	< 0.91	< 0.97	< 1.0	< 0.98	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.73	< 0.75	< 0.85	< 0.79	< 0.84	0.89	1.6	1,000	No
Ethylbenzene	< 0.88	< 0.89	< 1.0	< 0.95	< 1.0	< 1.0	< 1.0	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.10	< 0.10	< 0.12	< 0.11	< 0.11	< 0.12	< 0.12	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.81	< 0.83	< 0.94	< 0.88	< 0.93	< 0.96	< 0.94	400	No
Isopropyl Alcohol (Isopropanol)	< 6.6	< 6.7	< 7.6	< 7.1	< 7.5	< 7.8	< 7.6	7,000	No
m,p-Xylenes	< 1.7	< 1.8	< 2.0	< 1.9	< 2.0	< 2.0	< 2.0	2,600	No
Methyl Methacrylate	< 1.7	< 1.7	< 2.0	< 1.8	< 2.0	< 2.0	< 2.0	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 0.85	< 0.87	< 0.99	< 0.92	< 0.98	< 1.0	< 0.99	3,600	No
Naphthalene	< 1.6	< 1.7	< 1.9	< 1.8	< 1.9	< 1.9	< 1.9	9.0	No
n-Hexane	< 0.84	< 0.85	< 0.97	< 0.90	< 0.96	< 0.99	1.1	1,400	No
n-Nonane	< 0.85	< 0.86	< 0.98	< 0.91	< 0.97	< 1.0	< 0.98	21 ⁽³⁾	No
o-Xylene	< 0.87	< 0.89	< 1.0	< 0.94	< 0.99	< 1.0	< 1.0	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 0.85	< 0.86	< 0.98	< 0.91	< 0.97	< 1.0	< 0.98	3,000	No
Styrene	< 0.85	< 0.87	< 0.99	< 0.92	< 0.98	< 1.0	< 0.99	900	No
Tetrachloroethene (PCE)	< 0.86	< 0.88	< 1.0	< 0.93	< 0.98	< 1.0	< 1.0	41	No
Toluene	< 0.88	< 0.89	< 1.0	< 0.95	1.9	2.3	2.1	420	No
Trichloroethene (TCE)	< 0.85	< 0.86	< 0.98	< 0.91	< 0.97	< 1.0	< 0.98	2.2	No
Trichlorofluoromethane (CFC 11)	1.1	1.2	1.1	1.4	1.3	1.4	1.5	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.74	< 0.75	< 0.86	< 0.80	< 0.85	< 0.88	< 0.86	5,200 ⁽³⁾	No
Vinyl Acetate	< 8.5	< 8.7	< 9.8	< 9.2	< 9.7	< 10	< 9.8	2,500	No
Vinyl Chloride	< 0.85	< 0.87	< 0.99	< 0.92	< 0.98	< 1.0	< 0.99	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.

No concentrations exceeded health-based screening levels

WEEKLY AIR MONITORING SUMMARY OF LABORATORY DATA 2/16/2026 - 2/23/2026 FINAL REMEDY CONSTRUCTION ASCON LANDFILL SITE

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-03								
	2/16-2/17/2026	2/17-2/18/2026	2/18-2/19/2026	2/19-2/20/2026	2/20-2/21/2026	2/21-2/22/2026	2/22-2/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.96	< 0.96	< 0.92	< 0.87	< 0.96	< 0.98	< 0.97	3,800	No
1,1,2,2-Tetrachloroethane	< 1.0	< 1.0	< 0.97	< 0.91	< 1.0	< 1.0	< 1.0	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.0	< 1.0	< 0.98	< 0.92	< 1.0	< 1.1	< 1.0	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.96	< 0.96	< 0.92	< 0.87	< 0.96	< 0.98	< 0.97	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.85	< 0.85	< 0.81	< 0.76	< 0.85	< 0.87	< 0.86	4.0	No
1,2,4-Trimethylbenzene	< 0.98	< 0.98	< 0.94	< 0.88	< 0.98	< 1.0	< 0.99	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.39	< 0.39	< 0.38	< 0.35	< 0.39	< 0.40	< 0.39	1.9	No
1,2-Dichloropropane	< 1.0	< 1.0	< 0.96	< 0.90	< 1.0	< 1.0	< 1.0	9.2	No
1,3,5-Trimethylbenzene	< 1.0	< 1.0	< 0.97	< 0.91	< 1.0	< 1.0	< 1.0	4.0	No
1,3-Butadiene	< 0.99	< 0.99	< 0.95	< 0.89	< 0.99	< 1.0	< 1.0	2.0	No
1,4-Dichlorobenzene	< 0.98	< 0.98	< 0.94	< 0.88	< 0.98	< 1.0	< 0.99	1,200	No
1,4-Dioxane	< 0.99	< 0.99	< 0.95	< 0.89	< 0.99	< 1.0	< 1.0	720	No
2-Butanone (MEK)	< 1.9	< 1.9	< 1.8	< 1.7	< 1.9	< 1.9	< 1.9	5,200 ⁽³⁾	No
2-Hexanone	< 1.9	< 1.9	< 1.9	< 1.7	< 1.9	< 2.0	< 2.0	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.0	< 2.0	< 1.9	< 1.8	< 2.0	< 2.0	< 2.0	3,100 ⁽³⁾	No
Acetone	< 9.6	< 9.5	< 9.2	< 8.6	81	12	12	19,000 ⁽⁴⁾	No
Acrolein	< 0.58	< 0.58	< 0.55	< 0.52	< 0.58	< 0.59	< 0.58	0.92	No
Acrylonitrile	< 0.47	< 0.47	< 0.45	< 0.42	< 0.47	< 0.48	< 0.47	2.0	No
Benzene	< 1.9	< 1.9	< 1.8	< 1.7	< 1.9	< 1.9	< 1.9	19	No
Bromomethane	< 0.95	< 0.95	< 0.91	< 0.86	< 0.95	< 0.97	< 0.96	78	No
Carbon Disulfide	< 1.9	< 1.9	< 1.9	< 1.7	< 1.9	< 2.0	< 1.9	800	No
Carbon Tetrachloride	< 0.95	< 0.95	< 0.91	< 0.86	< 0.95	< 0.97	< 0.96	190	No
Chlorobenzene	< 1.0	< 1.0	< 0.96	< 0.90	< 1.0	< 1.0	< 1.0	1,000	No
Chloroethane (Ethyl Chloride)	< 1.0	< 1.0	< 0.98	< 0.92	< 1.0	< 1.1	< 1.0	34,000	No
Chloroform	< 0.99	< 0.99	< 0.95	< 0.89	< 0.99	< 1.0	< 1.0	3.9	No
Chloromethane	1.8	< 0.99	1.6	< 0.89	< 0.99	< 1.0	< 1.0	620	No
cis-1,2-Dichloroethene	< 0.96	< 0.96	< 0.92	< 0.87	< 0.96	< 0.98	< 0.97	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 0.98	< 0.98	< 0.94	< 0.88	< 0.98	< 1.0	< 0.99	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.85	< 0.85	< 0.81	< 0.76	< 0.85	< 0.87	1.1	1,000	No
Ethylbenzene	< 1.0	< 1.0	< 0.98	< 0.92	< 1.0	< 1.0	< 1.0	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.12	< 0.11	< 0.10	< 0.12	< 0.12	< 0.12	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.94	< 0.94	< 0.90	< 0.85	< 0.94	< 0.96	< 0.95	400	No
Isopropyl Alcohol (Isopropanol)	< 7.7	< 7.6	< 7.3	< 6.9	< 7.7	< 7.8	< 7.7	7,000	No
m,p-Xylenes	< 2.0	< 2.0	< 1.9	< 1.8	< 2.0	< 2.0	< 2.0	2,600	No
Methyl Methacrylate	< 2.0	< 2.0	< 1.9	< 1.8	< 2.0	< 2.0	< 2.0	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 0.99	< 0.99	< 0.95	< 0.89	< 0.99	< 1.0	< 1.0	3,600	No
Naphthalene	< 1.9	< 1.9	< 1.8	< 1.7	< 1.9	< 1.9	< 1.9	9.0	No
n-Hexane	< 0.97	< 0.97	< 0.93	< 0.87	< 0.97	1.1	1.1	1,400	No
n-Nonane	< 0.98	< 0.98	< 0.94	< 0.88	< 0.98	< 1.0	< 0.99	21 ⁽³⁾	No
o-Xylene	< 1.0	< 1.0	< 0.97	< 0.91	< 1.0	< 1.0	< 1.0	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 0.98	< 0.98	< 0.94	< 0.88	< 0.98	< 1.0	< 0.99	3,000	No
Styrene	< 0.99	< 0.99	< 0.95	< 0.89	< 0.99	< 1.0	< 1.0	900	No
Tetrachloroethene (PCE)	< 1.0	< 1.0	< 0.96	< 0.90	< 1.0	< 1.0	< 1.0	41	No
Toluene	< 1.0	< 1.0	< 0.98	< 0.92	1.9	2.1	2.0	420	No
Trichloroethene (TCE)	< 0.98	< 0.98	< 0.94	< 0.88	< 0.98	< 1.0	< 0.99	2.2	No
Trichlorofluoromethane (CFC 11)	1.1	1.3	1.1	1.4	1.4	1.4	1.4	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.86	< 0.86	< 0.82	< 0.77	< 0.86	< 0.88	< 0.86	5,200 ⁽³⁾	No
Vinyl Acetate	< 9.9	< 9.8	< 9.5	< 8.9	< 9.9	< 10	< 9.9	2,500	No
Vinyl Chloride	< 0.99	< 0.99	< 0.95	< 0.89	< 0.99	< 1.0	< 1.0	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.

No concentrations exceeded health-based screening levels

**WEEKLY AIR MONITORING
SUMMARY OF LABORATORY DATA
2/16/2026 - 2/23/2026
FINAL REMEDY CONSTRUCTION
ASCON LANDFILL SITE**

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-04								
	2/16-2/17/2026	2/17-2/18/2026	2/18-2/19/2026	2/19-2/20/2026	2/20-2/21/2026	2/21-2/22/2026	2/22-2/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.90	< 1.0	< 0.95	< 0.95	< 0.98	< 0.98	< 0.78	3,800	No
1,1,2,2-Tetrachloroethane	< 0.95	< 1.1	< 1.0	< 1.0	< 1.0	< 1.0	< 0.82	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 0.96	< 1.1	< 1.0	< 1.0	< 1.1	< 1.1	< 0.84	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.90	< 1.0	< 0.95	< 0.95	< 0.98	< 0.98	< 0.78	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.80	< 0.91	< 0.84	< 0.84	< 0.87	< 0.87	< 0.69	4.0	No
1,2,4-Trimethylbenzene	< 0.92	< 1.1	< 0.97	< 0.97	< 1.0	< 1.0	< 0.80	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.37	< 0.42	< 0.39	< 0.39	< 0.40	< 0.40	< 0.32	1.9	No
1,2-Dichloropropane	< 0.94	< 1.1	< 0.99	< 0.99	< 1.0	< 1.0	< 0.81	9.2	No
1,3,5-Trimethylbenzene	< 0.95	< 1.1	< 1.0	< 1.0	< 1.0	< 1.0	< 0.82	4.0	No
1,3-Butadiene	< 0.93	< 1.1	< 0.98	< 0.98	< 1.0	< 1.0	< 0.81	2.0	No
1,4-Dichlorobenzene	< 0.92	< 1.1	< 0.97	< 0.97	< 1.0	< 1.0	< 0.80	1,200	No
1,4-Dioxane	< 0.93	< 1.1	< 0.98	< 0.98	< 1.0	< 1.0	< 0.81	720	No
2-Butanone (MEK)	< 1.8	< 2.0	< 1.9	< 1.9	< 1.9	< 1.9	< 1.6	5,200 ⁽³⁾	No
2-Hexanone	< 1.8	< 2.1	< 1.9	< 1.9	< 2.0	< 2.0	< 1.6	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 1.8	< 2.1	< 1.9	< 1.9	< 2.0	< 2.0	< 1.6	3,100 ⁽³⁾	No
Acetone	< 9.0	< 10	< 9.5	< 9.5	68	10	12	19,000 ⁽⁴⁾	No
Acrolein	< 0.54	< 0.62	< 0.57	< 0.57	< 0.59	< 0.59	< 0.47	0.92	No
Acrylonitrile	< 0.44	< 0.50	< 0.46	< 0.46	< 0.48	< 0.48	< 0.38	2.0	No
Benzene	< 1.8	< 2.0	< 1.9	< 1.9	< 1.9	< 1.9	1.6	19	No
Bromomethane	< 0.89	< 1.0	< 0.94	< 0.94	< 0.97	< 0.97	< 0.78	78	No
Carbon Disulfide	< 1.8	< 2.1	< 1.9	< 1.9	< 2.0	< 2.0	< 1.6	800	No
Carbon Tetrachloride	< 0.89	< 1.0	< 0.94	< 0.94	< 0.97	< 0.97	< 0.78	190	No
Chlorobenzene	< 0.94	< 1.1	< 0.99	< 0.99	< 1.0	< 1.0	< 0.81	1,000	No
Chloroethane (Ethyl Chloride)	< 0.96	< 1.1	< 1.0	< 1.0	< 1.1	< 1.1	< 0.84	34,000	No
Chloroform	< 0.93	< 1.1	< 0.98	< 0.98	< 1.0	< 1.0	< 0.81	3.9	No
Chloromethane	1.7	< 1.1	1.6	< 0.98	< 1.0	< 1.0	< 0.81	620	No
cis-1,2-Dichloroethene	< 0.90	< 1.0	< 0.95	< 0.95	< 0.98	< 0.98	< 0.78	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 0.92	< 1.1	< 0.97	< 0.97	< 1.0	< 1.0	< 0.80	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.80	< 0.91	< 0.84	< 0.84	< 0.87	< 0.87	2.1	1,000	No
Ethylbenzene	< 0.95	< 1.1	< 1.0	< 1.0	< 1.0	< 1.0	< 0.83	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.11	< 0.12	< 0.11	< 0.11	< 0.12	< 0.12	< 0.094	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.88	< 1.0	< 0.93	< 0.93	< 0.96	< 0.96	< 0.77	400	No
Isopropyl Alcohol (Isopropanol)	< 7.2	< 8.2	< 7.6	< 7.6	< 7.8	< 7.8	< 6.2	7,000	No
m,p-Xylenes	< 1.9	< 2.1	< 2.0	< 2.0	< 2.0	< 2.0	< 1.6	2,600	No
Methyl Methacrylate	< 1.9	< 2.1	< 2.0	< 2.0	< 2.0	< 2.0	< 1.6	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 0.93	< 1.1	< 0.98	< 0.98	< 1.0	< 1.0	< 0.81	3,600	No
Naphthalene	< 1.8	< 2.0	< 1.9	< 1.9	< 1.9	< 1.9	< 1.6	9.0	No
n-Hexane	< 0.91	< 1.0	< 0.96	< 0.96	< 0.99	< 0.99	0.89	1,400	No
n-Nonane	< 0.92	< 1.1	< 0.97	< 0.97	< 1.0	< 1.0	< 0.80	21 ⁽³⁾	No
o-Xylene	< 0.95	< 1.1	< 1.0	< 1.0	< 1.0	< 1.0	< 0.82	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 0.92	< 1.1	< 0.97	0.97	< 1.0	< 1.0	1.5	3,000	No
Styrene	< 0.93	< 1.1	< 0.98	< 0.98	< 1.0	< 1.0	< 0.81	900	No
Tetrachloroethene (PCE)	< 0.94	< 1.1	< 0.99	< 0.99	< 1.0	< 1.0	< 0.81	41	No
Toluene	< 0.95	< 1.1	< 1.0	< 1.0	1.8	1.9	2.4	420	No
Trichloroethene (TCE)	< 0.92	< 1.1	< 0.97	< 0.97	< 1.0	< 1.0	< 0.80	2.2	No
Trichlorofluoromethane (CFC 11)	1.1	1.3	1.1	1.3	1.4	1.4	1.4	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.81	< 0.92	< 0.85	< 0.85	< 0.88	< 0.88	< 0.70	5,200 ⁽³⁾	No
Vinyl Acetate	< 9.3	< 11	< 9.8	< 9.8	< 10	< 10	< 8.0	2,500	No
Vinyl Chloride	< 0.93	< 1.1	< 0.98	< 0.98	< 1.0	< 1.0	< 0.81	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.