

No concentrations exceeded health-based screening levels

**WEEKLY AIR MONITORING
SUMMARY OF LABORATORY DATA
3/16/2026 - 3/23/2026
FINAL REMEDY CONSTRUCTION
ASCON LANDFILL SITE**

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-01								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.98	< 0.99	< 0.96	< 1.0	< 0.99	< 0.96	< 0.96	3,800	No
1,1,2,2-Tetrachloroethane	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 1.0	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.0	< 1.1	< 1.0	< 1.1	< 1.1	< 1.0	< 1.0	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.98	< 0.99	< 0.96	< 1.0	< 0.99	< 0.96	< 0.96	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.86	< 0.87	< 0.85	< 0.92	< 0.88	< 0.85	< 0.85	4.0	No
1,2,4-Trimethylbenzene	< 1.0	< 1.0	< 0.98	< 1.1	< 1.0	< 0.98	< 0.98	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.40	< 0.40	< 0.39	< 0.42	< 0.41	< 0.39	< 0.39	1.9	No
1,2-Dichloropropane	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 1.0	9.2	No
1,3,5-Trimethylbenzene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 1.0	4.0	No
1,3-Butadiene	< 1.0	< 1.0	< 0.99	< 1.1	< 1.0	< 0.99	< 0.99	2.0	No
1,4-Dichlorobenzene	< 1.0	< 1.0	< 0.98	< 1.1	< 1.0	< 0.98	< 0.98	1,200	No
1,4-Dioxane	< 1.0	< 1.0	< 0.99	< 1.1	< 1.0	< 0.99	< 0.99	720	No
2-Butanone (MEK)	< 1.9	2.3	2.2	< 2.1	< 2.0	< 1.9	< 1.9	5,200 ⁽³⁾	No
2-Hexanone	< 2.0	< 2.0	< 1.9	< 2.1	< 2.0	< 1.9	< 1.9	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.0	< 2.0	< 2.0	< 2.1	< 2.0	< 2.0	< 2.0	3,100 ⁽³⁾	No
Acetone	21	19	17	11	< 9.9	< 9.6	77	19,000 ⁽⁴⁾	No
Acrolein	< 0.59	< 0.60	< 0.58	< 0.63	< 0.60	< 0.58	< 0.58	0.92	No
Acrylonitrile	< 0.48	< 0.48	< 0.47	< 0.51	< 0.48	< 0.47	< 0.47	2.0	No
Benzene	< 1.9	< 1.9	< 1.9	< 2.0	< 1.9	< 1.9	< 1.9	19	No
Bromomethane	< 0.97	< 0.98	< 0.95	< 1.0	< 0.98	< 0.95	< 0.95	78	No
Carbon Disulfide	< 2.0	< 2.0	< 1.9	< 2.1	< 2.0	< 1.9	< 1.9	800	No
Carbon Tetrachloride	< 0.97	< 0.98	< 0.95	< 1.0	< 0.98	< 0.95	< 0.95	190	No
Chlorobenzene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 1.0	1,000	No
Chloroethane (Ethyl Chloride)	< 1.0	< 1.1	< 1.0	< 1.1	< 1.1	< 1.0	< 1.0	34,000	No
Chloroform	< 1.0	< 1.0	< 0.99	< 1.1	< 1.0	< 0.99	< 0.99	3.9	No
Chloromethane	1.6	< 1.0	2.3	< 1.1	< 1.0	2.1	< 0.99	620	No
cis-1,2-Dichloroethene	< 0.98	< 0.99	< 0.96	< 1.0	< 0.99	< 0.96	< 0.96	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 1.0	< 1.0	< 0.98	< 1.1	< 1.0	< 0.98	< 0.98	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.86	1.5	1.2	< 0.92	< 0.88	< 0.85	< 0.85	1,000	No
Ethylbenzene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.1	< 1.0	< 1.0	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.12	< 0.12	< 0.13	< 0.12	< 0.12	< 0.12	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.96	< 0.97	< 0.94	< 1.0	< 0.97	< 0.94	< 0.94	400	No
Isopropyl Alcohol (Isopropanol)	< 7.8	< 7.9	< 7.6	< 8.3	< 7.9	< 7.7	< 7.7	7,000	No
m,p-Xylenes	< 2.0	< 2.1	< 2.0	< 2.2	< 2.1	< 2.0	< 2.0	2,600	No
Methyl Methacrylate	< 2.0	< 2.0	< 2.0	< 2.1	< 2.0	< 2.0	< 2.0	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 1.0	< 1.0	< 0.99	< 1.1	< 1.0	< 0.99	< 0.99	3,600	No
Naphthalene	< 1.9	< 2.0	< 1.9	< 2.1	< 2.0	< 1.9	< 1.9	9.0	No
n-Hexane	< 0.99	< 1.0	< 0.97	< 1.1	< 1.0	< 0.97	< 0.97	1,400	No
n-Nonane	< 1.0	< 1.0	< 0.98	< 1.1	< 1.0	< 0.98	< 0.98	21 ⁽³⁾	No
o-Xylene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 1.0	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 1.0	< 1.0	1.1	< 1.1	< 1.0	< 0.98	1.4	3,000	No
Styrene	< 1.0	< 1.0	< 0.99	< 1.1	< 1.0	< 0.99	< 0.99	900	No
Tetrachloroethene (PCE)	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	3.1	41	No
Toluene	1.2	1.7	1.2	< 1.1	< 1.1	< 1.0	< 1.0	420	No
Trichloroethene (TCE)	< 1.0	< 1.0	< 0.98	< 1.1	< 1.0	< 0.98	1.7	2.2	No
Trichlorofluoromethane (CFC 11)	1.0	1.1	1.2	1.1	1.2	1.2	0.97	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.87	< 0.88	< 0.86	< 0.93	< 0.89	< 0.86	< 0.86	5,200 ⁽³⁾	No
Vinyl Acetate	< 10	< 10	< 9.8	< 11	< 10	< 9.9	< 9.9	2,500	No
Vinyl Chloride	< 1.0	< 1.0	< 0.99	< 1.1	< 1.0	< 0.99	< 0.99	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.

No concentrations exceeded health-based screening levels

**WEEKLY AIR MONITORING
SUMMARY OF LABORATORY DATA
3/16/2026 - 3/23/2026
FINAL REMEDY CONSTRUCTION
ASCON LANDFILL SITE**

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-02								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 1.1	< 0.97	< 0.99	< 1.0	< 0.95	< 1.0	< 0.88	3,800	No
1,1,2,2-Tetrachloroethane	< 1.2	< 1.0	< 1.0	< 1.1	< 1.0	< 1.1	< 0.92	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.2	< 1.0	< 1.1	< 1.1	< 1.0	< 1.1	< 0.94	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 1.1	< 0.97	< 0.99	< 1.0	< 0.95	< 1.0	< 0.88	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.98	< 0.86	< 0.87	< 0.91	< 0.84	< 0.89	< 0.78	4.0	No
1,2,4-Trimethylbenzene	< 1.1	< 0.99	< 1.0	< 1.1	< 0.97	< 1.0	< 0.90	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.45	< 0.40	< 0.40	< 0.42	< 0.39	< 0.41	< 0.36	1.9	No
1,2-Dichloropropane	< 1.2	< 1.0	< 1.0	< 1.1	< 0.99	< 1.0	< 0.91	9.2	No
1,3,5-Trimethylbenzene	< 1.2	< 1.0	< 1.0	< 1.1	< 1.0	< 1.1	< 0.92	4.0	No
1,3-Butadiene	< 1.1	< 1.0	< 1.0	< 1.1	< 0.98	< 1.0	< 0.91	2.0	No
1,4-Dichlorobenzene	< 1.1	< 0.99	< 1.0	< 1.1	< 0.97	< 1.0	< 0.90	1,200	No
1,4-Dioxane	< 1.1	< 1.0	< 1.0	< 1.1	< 0.98	< 1.0	< 0.91	720	No
2-Butanone (MEK)	< 2.2	2.1	3.3	< 2.0	< 1.9	< 2.0	< 1.7	5,200 ⁽³⁾	No
2-Hexanone	< 2.2	< 2.0	< 2.0	< 2.1	< 1.9	< 2.0	< 1.8	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.3	< 2.0	< 2.0	< 2.1	< 1.9	< 2.1	< 1.8	3,100 ⁽³⁾	No
Acetone	13	19	120	11	< 9.5	< 10	< 8.8	19,000 ⁽⁴⁾	No
Acrolein	< 0.67	< 0.59	0.71	< 0.62	< 0.57	< 0.61	< 0.53	0.92	No
Acrylonitrile	< 0.54	< 0.47	< 0.48	< 0.50	< 0.46	< 0.49	< 0.43	2.0	No
Benzene	< 2.2	< 1.9	< 1.9	< 2.0	< 1.9	< 2.0	< 1.7	19	No
Bromomethane	< 1.1	< 0.96	< 0.98	< 1.0	< 0.94	< 1.0	< 0.87	78	No
Carbon Disulfide	< 2.2	< 2.0	< 2.0	< 2.1	< 1.9	< 2.0	< 1.8	800	No
Carbon Tetrachloride	< 1.1	< 0.96	< 0.98	< 1.0	< 0.94	< 1.0	< 0.87	190	No
Chlorobenzene	< 1.2	< 1.0	< 1.0	< 1.1	< 0.99	< 1.0	< 0.91	1,000	No
Chloroethane (Ethyl Chloride)	< 1.2	< 1.0	< 1.1	< 1.1	< 1.0	< 1.1	< 0.94	34,000	No
Chloroform	< 1.1	< 1.0	< 1.0	< 1.1	< 0.98	< 1.0	< 0.91	3.9	No
Chloromethane	1.5	< 1.0	2.4	< 1.1	< 0.98	2.1	< 0.91	620	No
cis-1,2-Dichloroethene	< 1.1	< 0.97	< 0.99	< 1.0	< 0.95	< 1.0	< 0.88	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 1.1	< 0.99	< 1.0	< 1.1	< 0.97	< 1.0	< 0.90	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.98	1.1	1.2	< 0.91	< 0.84	< 0.89	< 0.78	1,000	No
Ethylbenzene	< 1.2	< 1.0	< 1.0	< 1.1	< 1.0	< 1.1	< 0.93	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.13	< 0.12	< 0.12	< 0.12	< 0.11	< 0.12	< 0.11	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 1.1	< 0.95	< 0.97	< 1.0	< 0.93	< 0.99	< 0.86	400	No
Isopropyl Alcohol (Isopropanol)	< 8.8	< 7.7	7.9	< 8.2	< 7.6	< 8.0	< 7.0	7,000	No
m,p-Xylenes	< 2.3	< 2.0	< 2.1	< 2.1	< 2.0	< 2.1	< 1.8	2,600	No
Methyl Methacrylate	< 2.3	< 2.0	< 2.0	< 2.1	< 2.0	< 2.1	< 1.8	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 1.1	< 1.0	< 1.0	< 1.1	< 0.98	< 1.0	< 0.91	3,600	No
Naphthalene	< 2.2	< 1.9	< 2.0	< 2.0	< 1.9	< 2.0	< 1.7	9.0	No
n-Hexane	< 1.1	< 0.98	< 1.0	< 1.0	< 0.96	< 1.0	< 0.89	1,400	No
n-Nonane	< 1.1	< 0.99	< 1.0	< 1.1	< 0.97	< 1.0	< 0.90	21 ⁽³⁾	No
o-Xylene	< 1.2	< 1.0	< 1.0	< 1.1	< 1.0	< 1.1	< 0.92	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 1.1	< 0.99	< 1.0	< 1.1	< 0.97	< 1.0	1.3	3,000	No
Styrene	< 1.1	< 1.0	< 1.0	< 1.1	< 0.98	< 1.0	< 0.91	900	No
Tetrachloroethene (PCE)	< 1.2	< 1.0	< 1.0	< 1.1	< 0.99	< 1.0	2.1	41	No
Toluene	1.3	1.7	1.2	< 1.1	< 1.0	< 1.1	< 0.93	420	No
Trichloroethene (TCE)	< 1.1	< 0.99	< 1.0	< 1.1	< 0.97	< 1.0	1.5	2.2	No
Trichlorofluoromethane (CFC 11)	< 1.1	1.1	1.2	1.1	1.1	1.1	0.99	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.99	< 0.87	< 0.88	< 0.92	< 0.85	< 0.90	< 0.79	5,200 ⁽³⁾	No
Vinyl Acetate	< 11	< 10	< 10	< 11	< 9.8	< 10	< 9.0	2,500	No
Vinyl Chloride	< 1.1	< 1.0	< 1.0	< 1.1	< 0.98	< 1.0	< 0.91	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.

**WEEKLY AIR MONITORING
SUMMARY OF LABORATORY DATA
3/16/2026 - 3/23/2026
FINAL REMEDY CONSTRUCTION
ASCON LANDFILL SITE**

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-03								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 1.0	< 0.95	< 0.99	< 0.95	< 0.95	< 0.93	< 0.99	3,800	No
1,1,2,2-Tetrachloroethane	< 1.0	< 1.0	< 1.0	< 0.99	< 1.0	< 0.98	< 1.0	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.1	< 1.0	< 1.1	< 1.0	< 1.0	< 1.0	< 1.1	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 1.0	< 0.95	< 0.99	< 0.95	< 0.95	< 0.93	< 0.99	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.88	< 0.84	< 0.87	< 0.84	< 0.84	< 0.82	< 0.87	4.0	No
1,2,4-Trimethylbenzene	< 1.0	< 0.97	< 1.0	< 0.97	< 0.97	< 0.95	< 1.0	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.41	< 0.39	< 0.40	< 0.39	< 0.39	< 0.38	< 0.40	1.9	No
1,2-Dichloropropane	< 1.0	< 0.99	< 1.0	< 0.98	< 0.99	< 0.97	< 1.0	9.2	No
1,3,5-Trimethylbenzene	< 1.0	< 1.0	< 1.0	< 0.99	< 1.0	< 0.98	< 1.0	4.0	No
1,3-Butadiene	< 1.0	< 0.98	< 1.0	< 0.98	< 0.98	< 0.96	< 1.0	2.0	No
1,4-Dichlorobenzene	< 1.0	< 0.97	< 1.0	< 0.97	< 0.97	< 0.95	< 1.0	1,200	No
1,4-Dioxane	< 1.0	< 0.98	< 1.0	< 0.98	< 0.98	< 0.96	< 1.0	720	No
2-Butanone (MEK)	< 2.0	2.0	< 2.0	< 1.9	< 1.9	< 1.8	< 2.0	5,200 ⁽³⁾	No
2-Hexanone	< 2.0	< 1.9	< 2.0	< 1.9	< 1.9	< 1.9	< 2.0	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.0	< 1.9	< 2.0	< 1.9	< 1.9	< 1.9	< 2.0	3,100 ⁽³⁾	No
Acetone	63	20	17	11	< 9.5	12	< 9.8	19,000 ⁽⁴⁾	No
Acrolein	< 0.60	< 0.57	< 0.60	< 0.57	< 0.57	< 0.56	< 0.60	0.92	No
Acrylonitrile	< 0.49	< 0.46	< 0.48	< 0.46	< 0.46	< 0.45	< 0.48	2.0	No
Benzene	< 1.9	< 1.9	< 1.9	< 1.8	< 1.9	< 1.8	< 1.9	19	No
Bromomethane	< 0.99	< 0.94	< 0.98	< 0.94	< 0.94	< 0.92	< 0.98	78	No
Carbon Disulfide	< 2.0	< 1.9	< 2.0	< 1.9	< 1.9	< 1.9	< 2.0	800	No
Carbon Tetrachloride	< 0.99	< 0.94	< 0.98	< 0.94	< 0.94	< 0.92	< 0.98	190	No
Chlorobenzene	< 1.0	< 0.99	< 1.0	< 0.98	< 0.99	< 0.97	< 1.0	1,000	No
Chloroethane (Ethyl Chloride)	< 1.1	< 1.0	< 1.1	< 1.0	< 1.0	< 1.0	< 1.1	34,000	No
Chloroform	< 1.0	< 0.98	< 1.0	< 0.98	< 0.98	< 0.96	< 1.0	3.9	No
Chloromethane	1.6	< 0.98	2.3	< 0.98	< 0.98	2.1	< 1.0	620	No
cis-1,2-Dichloroethene	< 1.0	< 0.95	< 0.99	< 0.95	< 0.95	< 0.93	< 0.99	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 1.0	< 0.97	< 1.0	< 0.97	< 0.97	< 0.95	< 1.0	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.88	0.98	1.1	< 0.84	< 0.84	< 0.82	< 0.87	1,000	No
Ethylbenzene	< 1.1	< 1.0	< 1.0	< 1.0	< 1.0	< 0.99	< 1.0	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.11	< 0.12	< 0.11	< 0.11	< 0.11	< 0.12	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.98	< 0.93	< 0.97	< 0.93	< 0.93	< 0.91	< 0.97	400	No
Isopropyl Alcohol (Isopropanol)	< 8.0	< 7.6	< 7.9	< 7.5	< 7.6	< 7.4	< 7.9	7,000	No
m,p-Xylenes	< 2.1	< 2.0	< 2.1	< 2.0	< 2.0	< 1.9	< 2.1	2,600	No
Methyl Methacrylate	< 2.1	< 2.0	< 2.0	< 2.0	< 2.0	< 1.9	< 2.0	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 1.0	< 0.98	< 1.0	< 0.98	< 0.98	< 0.96	< 1.0	3,600	No
Naphthalene	< 2.0	< 1.9	< 2.0	< 1.9	< 1.9	< 1.8	< 2.0	9.0	No
n-Hexane	< 1.0	0.98	< 1.0	< 0.96	< 0.96	< 0.94	< 1.0	1,400	No
n-Nonane	< 1.0	< 0.97	< 1.0	< 0.97	< 0.97	< 0.95	< 1.0	21 ⁽³⁾	No
o-Xylene	< 1.0	< 1.0	< 1.0	< 0.99	< 1.0	< 0.98	< 1.0	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 1.0	< 0.97	< 1.0	< 0.97	< 0.97	< 0.95	< 1.0	3,000	No
Styrene	< 1.0	< 0.98	< 1.0	< 0.98	< 0.98	< 0.96	< 1.0	900	No
Tetrachloroethene (PCE)	< 1.0	< 0.99	< 1.0	< 0.98	< 0.99	< 0.97	< 1.0	41	No
Toluene	1.2	1.8	1.1	1.2	< 1.0	< 0.99	< 1.0	420	No
Trichloroethene (TCE)	< 1.0	< 0.97	< 1.0	< 0.97	< 0.97	< 0.95	4.5	2.2	Yes
Trichlorofluoromethane (CFC 11)	< 0.98	1.1	1.2	1.1	1.1	1.1	1.0	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.89	< 0.85	< 0.88	< 0.85	< 0.85	< 0.83	< 0.88	5,200 ⁽³⁾	No
Vinyl Acetate	< 10	< 9.8	< 10	< 9.7	< 9.8	< 9.6	< 10	2,500	No
Vinyl Chloride	< 1.0	< 0.98	< 1.0	< 0.98	< 0.98	< 0.96	< 1.0	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.

A reading of trichloroethene (TCE) was higher than its comparison criteria on 3/22-3/23. There were no site activities occurring during the sampling period. A short-term reading above the comparison criteria does not mean there is a public health risk as these levels are established with a large margin of safety. Learn more about Ascon's air quality monitoring system at asconhb.com.

**WEEKLY AIR MONITORING
SUMMARY OF LABORATORY DATA
3/16/2026 - 3/23/2026
FINAL REMEDY CONSTRUCTION
ASCON LANDFILL SITE**

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	COM-AA-04								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.93	< 0.96	< 1.1	< 1.0	< 0.92	< 0.97	< 1.2	3,800	No
1,1,2,2-Tetrachloroethane	< 0.98	< 1.0	< 1.2	< 1.1	< 0.96	< 1.0	< 1.2	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.0	< 1.0	< 1.2	< 1.1	< 0.98	< 1.0	< 1.3	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.93	< 0.96	< 1.1	< 1.0	< 0.92	< 0.97	< 1.2	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.82	< 0.85	< 0.98	< 0.91	< 0.81	< 0.86	< 1.0	4.0	No
1,2,4-Trimethylbenzene	< 0.95	< 0.98	< 1.1	< 1.1	< 0.93	< 0.99	< 1.2	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.38	< 0.39	< 0.45	< 0.42	< 0.37	< 0.40	< 0.48	1.9	No
1,2-Dichloropropane	< 0.97	< 1.0	< 1.2	< 1.1	< 0.95	< 1.0	< 1.2	9.2	No
1,3,5-Trimethylbenzene	< 0.98	< 1.0	< 1.2	< 1.1	< 0.96	< 1.0	< 1.2	4.0	No
1,3-Butadiene	< 0.96	< 0.99	< 1.1	< 1.1	< 0.94	< 1.0	< 1.2	2.0	No
1,4-Dichlorobenzene	< 0.95	< 0.98	< 1.1	< 1.1	< 0.93	< 0.99	< 1.2	1,200	No
1,4-Dioxane	< 0.96	< 0.99	< 1.1	< 1.1	< 0.94	< 1.0	< 1.2	720	No
2-Butanone (MEK)	< 1.8	7.7	< 2.2	< 2.0	< 1.8	< 1.9	< 2.3	5,200 ⁽³⁾	No
2-Hexanone	< 1.9	2.5	< 2.2	< 2.1	< 1.9	< 2.0	< 2.4	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 1.9	< 2.0	< 2.3	< 2.1	< 1.9	< 2.0	< 2.4	3,100 ⁽³⁾	No
Acetone	60	30	16	< 10	< 9.1	< 9.7	< 12	19,000 ⁽⁴⁾	No
Acrolein	< 0.56	< 0.58	< 0.67	< 0.62	< 0.55	< 0.59	< 0.71	0.92	No
Acrylonitrile	< 0.45	< 0.47	< 0.54	< 0.50	< 0.45	< 0.47	< 0.57	2.0	No
Benzene	< 1.8	< 1.9	< 2.2	< 2.0	< 1.8	< 1.9	< 2.3	19	No
Bromomethane	< 0.92	< 0.95	< 1.1	< 1.0	< 0.91	< 0.96	< 1.2	78	No
Carbon Disulfide	< 1.9	< 1.9	< 2.2	< 2.1	< 1.8	< 2.0	< 2.4	800	No
Carbon Tetrachloride	< 0.92	< 0.95	< 1.1	< 1.0	< 0.91	< 0.96	< 1.2	190	No
Chlorobenzene	< 0.97	< 1.0	< 1.2	< 1.1	< 0.95	< 1.0	< 1.2	1,000	No
Chloroethane (Ethyl Chloride)	< 1.0	< 1.0	< 1.2	< 1.1	< 0.98	< 1.0	< 1.3	34,000	No
Chloroform	< 0.96	< 0.99	< 1.1	< 1.1	< 0.94	< 1.0	< 1.2	3.9	No
Chloromethane	1.6	< 0.99	2.3	< 1.1	< 0.94	2.1	< 1.2	620	No
cis-1,2-Dichloroethene	< 0.93	< 0.96	< 1.1	< 1.0	< 0.92	< 0.97	< 1.2	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 0.95	< 0.98	< 1.1	< 1.1	< 0.93	< 0.99	< 1.2	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.82	0.94	1.1	< 0.91	< 0.81	< 0.86	< 1.0	1,000	No
Ethylbenzene	< 0.99	< 1.0	< 1.2	< 1.1	< 0.97	< 1.0	< 1.2	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.11	< 0.12	< 0.13	< 0.12	< 0.11	< 0.12	< 0.14	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.91	< 0.94	< 1.1	< 1.0	< 0.90	< 0.95	< 1.2	400	No
Isopropyl Alcohol (Isopropanol)	< 7.4	< 7.7	< 8.8	< 8.2	< 7.3	< 7.7	< 9.4	7,000	No
m,p-Xylenes	< 1.9	< 2.0	< 2.3	< 2.1	< 1.9	< 2.0	< 2.5	2,600	No
Methyl Methacrylate	< 1.9	< 2.0	< 2.3	< 2.1	< 1.9	< 2.0	< 2.4	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 0.96	< 0.99	< 1.1	< 1.1	< 0.94	< 1.0	< 1.2	3,600	No
Naphthalene	< 1.8	< 1.9	< 2.2	< 2.0	< 1.8	< 1.9	< 2.3	9.0	No
n-Hexane	< 0.94	1.9	< 1.1	< 1.0	< 0.93	< 0.98	< 1.2	1,400	No
n-Nonane	< 0.95	< 0.98	< 1.1	< 1.1	< 0.93	< 0.99	< 1.2	21 ⁽³⁾	No
o-Xylene	< 0.98	< 1.0	< 1.2	< 1.1	< 0.96	< 1.0	< 1.2	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 0.95	< 0.98	< 1.1	< 1.1	< 0.93	< 0.99	1.3	3,000	No
Styrene	< 0.96	< 0.99	< 1.1	< 1.1	< 0.94	< 1.0	< 1.2	900	No
Tetrachloroethene (PCE)	< 0.97	< 1.0	< 1.2	< 1.1	< 0.95	< 1.0	2.1	41	No
Toluene	1.4	1.9	< 1.2	< 1.1	< 0.97	< 1.0	< 1.2	420	No
Trichloroethene (TCE)	< 0.95	< 0.98	< 1.1	< 1.1	< 0.93	< 0.99	6.7	2.2	Yes
Trichlorofluoromethane (CFC 11)	0.98	1.2	1.2	1.1	1.2	1.2	< 1.2	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.83	< 0.86	< 0.99	< 0.92	< 0.82	< 0.87	< 1.1	5,200 ⁽³⁾	No
Vinyl Acetate	< 9.6	< 9.9	< 11	< 11	< 9.4	< 10	< 12	2,500	No
Vinyl Chloride	< 0.96	< 0.99	< 1.1	< 1.1	< 0.94	< 1.0	< 1.2	51	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based for residential air (May 2024).

(4) ATSDR acute MRL.

A reading of trichloroethene (TCE) was higher than its comparison criteria on 3/22-3/23. There were no site activities occurring during the sampling period. A short-term reading above the comparison criteria does not mean there is a public health risk as these levels are established with a large margin of safety. Learn more about Ascon's air quality monitoring system at asconhb.com.