

No concentrations exceeded health-based screening levels

WEEKLY AIR MONITORING SUMMARY OF LABORATORY DATA 3/16/2026 - 3/23/2026 FINAL REMEDY CONSTRUCTION ASCON LANDFILL SITE

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	FR-AA-01								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.98	< 0.97	< 0.95	< 1.0	< 0.95	< 0.99	< 0.88	3,800	No
1,1,2,2-Tetrachloroethane	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 0.92	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.1	< 0.94	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.98	< 0.97	< 0.95	< 1.0	< 0.95	< 0.99	< 0.88	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.86	< 0.86	< 0.84	< 0.91	< 0.84	< 0.88	< 0.77	4.0	No
1,2,4-Trimethylbenzene	< 1.0	< 0.99	< 0.97	< 1.1	< 0.97	< 1.0	< 0.89	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.40	< 0.39	< 0.39	< 0.42	< 0.39	< 0.41	< 0.36	1.9	No
1,2-Dichloropropane	< 1.0	< 1.0	< 0.99	< 1.1	< 0.99	< 1.0	< 0.91	9.2	No
1,3,5-Trimethylbenzene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 0.92	4.0	No
1,3-Butadiene	< 1.0	< 1.0	< 0.98	< 1.1	< 0.98	< 1.0	< 0.90	2.0	No
1,4-Dichlorobenzene	< 1.0	< 0.99	< 0.97	< 1.1	< 0.97	< 1.0	< 0.89	1,200	No
1,4-Dioxane	< 1.0	< 1.0	< 0.98	< 1.1	< 0.98	< 1.0	< 0.90	720	No
2-Butanone (MEK)	< 1.9	< 1.9	< 1.9	< 2.1	< 1.9	< 2.0	< 1.7	5,200 ⁽³⁾	No
2-Hexanone	< 2.0	< 2.0	< 1.9	< 2.1	< 1.9	< 2.0	< 1.8	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.0	< 2.0	< 1.9	< 2.1	< 1.9	< 2.0	< 1.8	3,100 ⁽³⁾	No
Acetone	< 9.7	18	10	11	11	< 9.9	< 8.7	19,000 ⁽⁴⁾	No
Acrolein	< 0.59	< 0.58	< 0.57	< 0.62	< 0.57	< 0.60	< 0.53	0.92	No
Acrylonitrile	< 0.48	< 0.47	< 0.46	< 0.50	< 0.46	< 0.48	< 0.43	2.0	No
Benzene	< 1.9	< 1.9	< 1.9	< 2.0	< 1.9	< 1.9	< 1.7	19	No
Bromomethane	< 0.97	< 0.96	< 0.94	< 1.0	< 0.94	< 0.98	< 0.87	78	No
Carbon Disulfide	< 2.0	< 1.9	< 1.9	< 2.1	< 1.9	< 2.0	< 1.8	800	No
Carbon Tetrachloride	< 0.97	< 0.96	< 0.94	< 1.0	< 0.94	< 0.98	< 0.87	190	No
Chlorobenzene	< 1.0	< 1.0	< 0.99	< 1.1	< 0.99	< 1.0	< 0.91	1,000	No
Chloroethane (Ethyl Chloride)	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.1	< 0.94	34,000	No
Chloroform	< 1.0	< 1.0	< 0.98	< 1.1	< 0.98	< 1.0	< 0.90	3.9	No
Chloromethane	1.6	1.6	1.5	2.2	2.4	1.9	< 0.90	620	No
cis-1,2-Dichloroethene	< 0.98	< 0.97	< 0.95	< 1.0	< 0.95	< 0.99	< 0.88	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 1.0	< 0.99	< 0.97	< 1.1	< 0.97	< 1.0	< 0.89	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	1.0	1.7	< 0.84	1.3	1.2	< 0.88	< 0.77	1,000	No
Ethylbenzene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.1	< 0.93	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.12	< 0.11	< 0.12	< 0.11	< 0.12	< 0.11	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.96	< 0.95	< 0.93	< 1.0	< 0.93	< 0.97	< 0.86	400	No
Isopropyl Alcohol (Isopropanol)	< 7.8	< 7.7	< 7.6	< 8.2	< 7.6	< 7.9	< 7.0	7,000	No
m,p-Xylenes	< 2.0	< 2.0	< 2.0	< 2.2	< 2.0	< 2.1	< 1.8	2,600	No
Methyl Methacrylate	< 2.0	< 2.0	< 2.0	< 2.1	< 2.0	< 2.0	< 1.8	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 1.0	< 1.0	< 0.98	< 1.1	< 0.98	< 1.0	< 0.90	3,600	No
Naphthalene	< 1.9	< 1.9	< 1.9	< 2.1	< 1.9	< 2.0	< 1.7	9.0	No
n-Hexane	< 0.99	< 0.98	< 0.96	< 1.0	< 0.96	< 1.0	< 0.88	1,400	No
n-Nonane	< 1.0	< 0.99	< 0.97	< 1.1	< 0.97	< 1.0	< 0.89	21 ⁽³⁾	No
o-Xylene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.0	< 1.0	< 0.92	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 1.0	< 0.99	< 0.97	< 1.1	< 0.97	< 1.0	< 0.89	3,000	No
Styrene	< 1.0	< 1.0	< 0.98	< 1.1	< 0.98	< 1.0	< 0.90	900	No
Tetrachloroethene (PCE)	< 1.0	< 1.0	< 0.99	< 1.1	< 0.99	< 1.0	< 0.91	41	No
Toluene	1.6	2.1	1.1	< 1.1	< 1.0	< 1.1	< 0.93	420	No
Trichloroethene (TCE)	< 1.0	< 0.99	< 0.97	< 1.1	< 0.97	< 1.0	< 0.89	2.2	No
Trichlorofluoromethane (CFC 11)	0.99	1.1	< 0.93	1.2	1.2	1.1	1.2	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.87	< 0.86	< 0.85	< 0.92	< 0.85	< 0.89	< 0.78	5,200 ⁽³⁾	No
Vinyl Acetate	< 10	< 9.9	< 9.8	< 11	< 9.8	< 10	< 9.0	2,500	No
Vinyl Chloride	< 1.0	< 1.0	< 0.98	< 1.1	< 0.98	< 1.0	< 0.90	51	No
Sulfur Compounds									
Carbon Disulfide	< 5.9	< 5.9	< 5.8	< 6.3	< 5.8	< 6.0	< 5.3	800	No
Carbonyl Sulfide	< 8.9	< 8.8	< 8.6	< 9.4	< 8.6	< 9.0	< 7.9	10	No
Dimethyl Sulfide	< 9.7	< 9.6	< 9.4	< 10	< 9.4	< 9.8	< 8.6	1270 ⁽⁵⁾	No
Dimethyl Disulfide	< 7.3	< 7.2	< 7.1	< 7.7	< 7.1	< 7.4	< 6.5	39 ^(5,6)	No
Hydrogen Sulfide	< 4.0	< 3.9	< 3.9	< 4.2	< 3.9	< 4.0	< 3.6	28	No
Methyl Mercaptan	< 7.5	< 7.4	< 7.3	< 7.9	< 7.3	< 7.6	< 6.7	9.8 ^(5,6)	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based) for residential air (May 2024).

(4) ATSDR acute MRL.

(5) Emergency Response Planning Guideline Value (ERPG-1) from <https://cameochemicals.noaa.gov/search/simple>

(6) U.S. Department of Energy's (DOE's) Protective Action Criteria (PAC-1) from <https://edms3.energy.gov/pac/#/>

No concentrations exceeded health-based screening levels

WEEKLY AIR MONITORING SUMMARY OF LABORATORY DATA 3/16/2026 - 3/23/2026 FINAL REMEDY CONSTRUCTION ASCON LANDFILL SITE

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	FR-AA-02								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.96	< 0.94	< 0.93	< 1.0	< 1.0	< 0.73	< 0.93	3,800	No
1,1,2,2-Tetrachloroethane	< 1.0	< 0.98	< 0.98	< 1.1	< 1.1	< 0.77	< 0.98	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.0	< 1.0	< 1.0	< 1.1	< 1.1	< 0.78	< 1.0	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.96	< 0.94	< 0.93	< 1.0	< 1.0	< 0.73	< 0.93	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.85	< 0.83	< 0.82	< 0.90	< 0.89	< 0.65	< 0.82	4.0	No
1,2,4-Trimethylbenzene	< 0.98	< 0.96	< 0.95	< 1.0	< 1.0	< 0.75	< 0.95	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.39	< 0.38	< 0.38	< 0.41	< 0.41	< 0.30	< 0.38	1.9	No
1,2-Dichloropropane	< 1.0	< 0.97	< 0.97	< 1.1	< 1.0	< 0.76	< 0.97	9.2	No
1,3,5-Trimethylbenzene	< 1.0	< 0.98	< 0.98	< 1.1	< 1.1	< 0.77	< 0.98	4.0	No
1,3-Butadiene	< 0.99	< 0.96	< 0.96	< 1.0	< 1.0	< 0.75	< 0.96	2.0	No
1,4-Dichlorobenzene	< 0.98	< 0.96	< 0.95	< 1.0	< 1.0	< 0.75	< 0.95	1,200	No
1,4-Dioxane	< 0.99	< 0.96	< 0.96	< 1.0	< 1.0	< 0.75	< 0.96	720	No
2-Butanone (MEK)	< 1.9	< 1.9	< 1.8	< 2.0	< 2.0	< 1.4	< 1.8	5,200 ⁽³⁾	No
2-Hexanone	< 1.9	< 1.9	< 1.9	< 2.0	< 2.0	< 1.5	< 1.9	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.0	< 1.9	< 1.9	< 2.1	< 2.0	< 1.5	< 1.9	3,100 ⁽³⁾	No
Acetone	50	13	< 9.3	11	< 10	7.4	< 9.3	19,000 ⁽⁴⁾	No
Acrolein	0.58	< 0.56	< 0.56	< 0.61	< 0.60	< 0.44	< 0.56	0.92	No
Acrylonitrile	< 0.47	< 0.46	< 0.45	< 0.49	< 0.49	< 0.36	< 0.45	2.0	No
Benzene	< 1.9	< 1.8	< 1.8	< 2.0	< 2.0	< 1.4	< 1.8	19	No
Bromomethane	< 0.95	< 0.93	< 0.92	< 1.0	< 0.99	< 0.72	< 0.92	78	No
Carbon Disulfide	< 1.9	< 1.9	< 1.9	< 2.0	< 2.0	< 1.5	< 1.9	800	No
Carbon Tetrachloride	< 0.95	< 0.93	< 0.92	< 1.0	< 0.99	< 0.72	< 0.92	190	No
Chlorobenzene	< 1.0	< 0.97	< 0.97	< 1.1	< 1.0	< 0.76	< 0.97	1,000	No
Chloroethane (Ethyl Chloride)	< 1.0	< 1.0	< 1.0	< 1.1	< 1.1	< 0.78	< 1.0	34,000	No
Chloroform	< 0.99	< 0.96	< 0.96	< 1.0	< 1.0	< 0.75	< 0.96	3.9	No
Chloromethane	1.6	1.6	1.5	2.2	2.2	2.0	< 0.96	620	No
cis-1,2-Dichloroethene	< 0.96	< 0.94	< 0.93	< 1.0	< 1.0	< 0.73	< 0.93	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 0.98	< 0.96	< 0.95	< 1.0	< 1.0	< 0.75	< 0.95	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	0.92	< 0.83	< 0.82	< 0.90	< 0.89	< 0.65	< 0.82	1,000	No
Ethylbenzene	< 1.0	< 0.99	< 0.99	< 1.1	< 1.1	< 0.77	< 0.99	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.11	< 0.11	< 0.12	< 0.12	< 0.088	< 0.11	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.94	< 0.92	< 0.91	< 0.99	< 0.98	< 0.72	< 0.91	400	No
Isopropyl Alcohol (Isopropanol)	< 7.6	< 7.5	< 7.4	< 8.1	< 8.0	< 5.8	< 7.4	7,000	No
m,p-Xylenes	< 2.0	< 1.9	< 1.9	< 2.1	< 2.1	< 1.5	< 1.9	2,600	No
Methyl Methacrylate	< 2.0	< 1.9	< 1.9	< 2.1	< 2.1	< 1.5	< 1.9	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 0.99	< 0.96	< 0.96	< 1.0	< 1.0	< 0.75	< 0.96	3,600	No
Naphthalene	< 1.9	< 1.9	< 1.8	< 2.0	< 2.0	< 1.4	< 1.8	9.0	No
n-Hexane	< 0.97	< 0.95	< 0.94	< 1.0	< 1.0	< 0.74	< 0.94	1,400	No
n-Nonane	< 0.98	< 0.96	< 0.95	< 1.0	< 1.0	< 0.75	< 0.95	21 ⁽³⁾	No
o-Xylene	< 1.0	< 0.98	< 0.98	< 1.1	< 1.1	< 0.77	< 0.98	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 0.98	< 0.96	< 0.95	< 1.0	< 1.0	< 0.75	< 0.95	3,000	No
Styrene	< 0.99	< 0.96	< 0.96	< 1.0	< 1.0	< 0.75	< 0.96	900	No
Tetrachloroethene (PCE)	< 1.0	< 0.97	< 0.97	< 1.1	< 1.0	< 0.76	< 0.97	41	No
Toluene	1.6	2.2	1.1	< 1.1	< 1.1	< 0.77	< 0.99	420	No
Trichloroethene (TCE)	< 0.98	< 0.96	< 0.95	< 1.0	< 1.0	< 0.75	< 0.95	2.2	No
Trichlorofluoromethane (CFC 11)	0.97	1.0	1.0	1.2	1.2	1.2	1.2	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.86	< 0.84	< 0.83	< 0.91	< 0.90	< 0.65	< 0.83	5,200 ⁽³⁾	No
Vinyl Acetate	< 9.8	< 9.6	< 9.6	< 10	< 10	< 7.5	< 9.6	2,500	No
Vinyl Chloride	< 0.99	< 0.96	< 0.96	< 1.0	< 1.0	< 0.75	< 0.96	51	No
Sulfur Compounds									
Carbon Disulfide	< 5.8	< 5.7	< 5.6	< 6.1	< 6.1	< 4.4	< 5.6	800	No
Carbonyl Sulfide	< 8.7	< 8.5	< 8.4	< 9.2	< 9.1	< 6.6	< 8.4	10	No
Dimethyl Sulfide	< 9.4	< 9.2	< 9.2	< 10	< 9.9	< 7.2	< 9.2	1270 ⁽⁵⁾	No
Dimethyl Disulfide	< 7.2	< 7.0	< 7.0	< 7.6	< 7.5	< 5.5	< 7.0	39 ^(5,6)	No
Hydrogen Sulfide	< 3.9	< 3.8	< 3.8	< 4.1	< 4.1	< 3.0	< 3.8	28	No
Methyl Mercaptan	< 7.3	< 7.2	< 7.1	< 7.7	< 7.7	< 5.6	< 7.1	9.8 ^(5,6)	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based) for residential air (May 2024).

(4) ATSDR acute MRL.

(5) Emergency Response Planning Guideline Value (ERPG-1) from <https://cameochemicals.noaa.gov/search/simple>

(6) U.S. Department of Energy's (DOE's) Protective Action Criteria (PAC-1) from <https://edms3.energy.gov/pac/#/>

No concentrations exceeded health-based screening levels

WEEKLY AIR MONITORING SUMMARY OF LABORATORY DATA 3/16/2026 - 3/23/2026 FINAL REMEDY CONSTRUCTION ASCON LANDFILL SITE

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	FR-AA-03								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 1.0	< 0.99	< 0.96	< 1.0	--	< 0.98	< 0.92	3,800	No
1,1,2,2-Tetrachloroethane	< 1.1	< 1.0	< 1.0	< 1.1	--	< 1.0	< 0.97	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.1	< 1.1	< 1.0	< 1.1	--	< 1.0	< 0.98	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 1.0	< 0.99	< 0.96	< 1.0	--	< 0.98	< 0.92	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.90	< 0.88	< 0.85	< 0.91	--	< 0.86	< 0.81	4.0	No
1,2,4-Trimethylbenzene	< 1.0	< 1.0	< 0.98	< 1.0	--	< 1.0	< 0.94	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.42	< 0.41	< 0.39	< 0.42	--	< 0.40	< 0.38	1.9	No
1,2-Dichloropropane	< 1.1	< 1.0	< 1.0	< 1.1	--	< 1.0	< 0.96	9.2	No
1,3,5-Trimethylbenzene	< 1.1	< 1.0	< 1.0	< 1.1	--	< 1.0	< 0.97	4.0	No
1,3-Butadiene	< 1.0	< 1.0	< 0.99	< 1.1	--	< 1.0	< 0.95	2.0	No
1,4-Dichlorobenzene	< 1.0	< 1.0	< 0.98	< 1.0	--	< 1.0	< 0.94	1,200	No
1,4-Dioxane	< 1.0	< 1.0	< 0.99	< 1.1	--	< 1.0	< 0.95	720	No
2-Butanone (MEK)	< 2.0	< 2.0	< 1.9	< 2.0	--	< 1.9	< 1.8	5,200 ⁽³⁾	No
2-Hexanone	< 2.1	< 2.0	< 1.9	< 2.1	--	< 2.0	< 1.9	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.1	< 2.0	< 2.0	< 2.1	--	< 2.0	< 1.9	3,100 ⁽³⁾	No
Acetone	< 10	17	< 9.5	12	--	< 9.7	< 9.2	19,000 ⁽⁴⁾	No
Acrolein	< 0.61	< 0.60	< 0.58	< 0.62	--	< 0.59	< 0.55	0.92	No
Acrylonitrile	< 0.50	< 0.48	< 0.47	< 0.50	--	< 0.48	< 0.45	2.0	No
Benzene	< 2.0	< 1.9	< 1.9	< 2.0	--	< 1.9	< 1.8	19	No
Bromomethane	< 1.0	< 0.98	< 0.95	< 1.0	--	< 0.97	< 0.91	78	No
Carbon Disulfide	< 2.0	< 2.0	< 1.9	< 2.1	--	< 2.0	< 1.9	800	No
Carbon Tetrachloride	< 1.0	< 0.98	< 0.95	< 1.0	--	< 0.97	< 0.91	190	No
Chlorobenzene	< 1.1	< 1.0	< 1.0	< 1.1	--	< 1.0	< 0.96	1,000	No
Chloroethane (Ethyl Chloride)	< 1.1	< 1.1	< 1.0	< 1.1	--	< 1.0	< 0.98	34,000	No
Chloroform	< 1.0	< 1.0	< 0.99	< 1.1	--	< 1.0	< 0.95	3.9	No
Chloromethane	1.6	1.6	1.5	2.2	--	2.0	< 0.95	620	No
cis-1,2-Dichloroethene	< 1.0	< 0.99	< 0.96	< 1.0	--	< 0.98	< 0.92	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 1.0	< 1.0	< 0.98	< 1.0	--	< 1.0	< 0.94	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.90	< 0.88	< 0.85	1.2	--	< 0.86	< 0.81	1,000	No
Ethylbenzene	< 1.1	< 1.1	< 1.0	< 1.1	--	< 1.0	< 0.98	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.12	< 0.12	< 0.12	--	< 0.12	< 0.11	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 1.0	< 0.97	< 0.94	< 1.0	--	< 0.96	< 0.90	400	No
Isopropyl Alcohol (Isopropanol)	< 8.1	< 7.9	< 7.6	< 8.2	--	< 7.8	< 7.3	7,000	No
m,p-Xylenes	< 2.1	< 2.1	< 2.0	< 2.1	--	< 2.0	< 1.9	2,600	No
Methyl Methacrylate	< 2.1	< 2.0	< 2.0	< 2.1	--	< 2.0	< 1.9	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 1.0	< 1.0	< 0.99	< 1.1	--	< 1.0	< 0.95	3,600	No
Naphthalene	< 2.0	< 2.0	< 1.9	< 2.0	--	< 1.9	< 1.8	9.0	No
n-Hexane	3.0	< 1.0	< 0.97	< 1.0	--	< 0.99	< 0.93	1,400	No
n-Nonane	< 1.0	< 1.0	< 0.98	< 1.0	--	< 1.0	< 0.94	21 ⁽³⁾	No
o-Xylene	< 1.1	< 1.0	< 1.0	< 1.1	--	< 1.0	< 0.97	2,600	No
Phenol	NF	NF	NF	NF	--	NF	NF	200	No
Propylene (Propene)	< 1.0	< 1.0	< 0.98	< 1.0	--	< 1.0	< 0.94	3,000	No
Styrene	< 1.0	< 1.0	< 0.99	< 1.1	--	< 1.0	< 0.95	900	No
Tetrachloroethene (PCE)	< 1.1	< 1.0	< 1.0	< 1.1	--	< 1.0	< 0.96	41	No
Toluene	2.4	1.9	< 1.0	< 1.1	--	< 1.0	< 0.98	420	No
Trichloroethene (TCE)	< 1.0	< 1.0	< 0.98	< 1.0	--	< 1.0	< 0.94	2.2	No
Trichlorofluoromethane (CFC 11)	1.1	1.0	< 0.94	1.3	--	1.1	1.2	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.91	< 0.89	< 0.86	< 0.92	--	< 0.87	< 0.82	5,200 ⁽³⁾	No
Vinyl Acetate	< 10	< 10	< 9.8	< 11	--	< 10	< 9.5	2,500	No
Vinyl Chloride	< 1.0	< 1.0	< 0.99	< 1.1	--	< 1.0	< 0.95	51	No
Sulfur Compounds									
Carbon Disulfide	< 6.2	< 6.0	< 5.8	< 6.2	--	< 5.9	< 5.6	800	No
Carbonyl Sulfide	< 9.2	< 9.0	< 8.7	< 9.3	--	< 8.9	< 8.4	10	No
Dimethyl Sulfide	< 10	< 9.8	< 9.4	< 10	--	< 9.7	< 9.1	1270 ⁽⁵⁾	No
Dimethyl Disulfide	< 7.6	< 7.4	< 7.2	< 7.7	--	< 7.3	< 6.9	39 ^(5,6)	No
Hydrogen Sulfide	6.0	< 4.0	< 3.9	< 4.2	--	< 4.0	< 3.7	28	No
Methyl Mercaptan	< 7.8	< 7.6	< 7.3	< 7.8	--	< 7.5	< 7.0	9.8 ^(5,6)	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based) for residential air (May 2024).

(4) ATSDR acute MRL.

(5) Emergency Response Planning Guideline Value (ERPG-1) from <https://cameochemicals.noaa.gov/search/simple>

(6) U.S. Department of Energy's (DOE's) Protective Action Criteria (PAC-1) from <https://edms3.energy.gov/pac/#/>

Sample on 3/20-3/21/2026 was not analyzed due to equipment malfunction.

No concentrations exceeded health-based screening levels

WEEKLY AIR MONITORING SUMMARY OF LABORATORY DATA 3/16/2026 - 3/23/2026 FINAL REMEDY CONSTRUCTION ASCON LANDFILL SITE

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	FR-AA-04								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 1.0	< 1.0	< 0.97	< 1.0	< 1.1	< 1.1	< 0.92	3,800	No
1,1,2,2-Tetrachloroethane	< 1.1	< 1.0	< 1.0	< 1.1	< 1.2	< 1.1	< 0.97	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.1	< 1.1	< 1.0	< 1.1	< 1.2	< 1.1	< 0.98	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 1.0	< 1.0	< 0.97	< 1.0	< 1.1	< 1.1	< 0.92	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.89	< 0.88	< 0.86	< 0.90	< 1.0	< 0.93	< 0.81	4.0	No
1,2,4-Trimethylbenzene	< 1.0	< 1.0	< 0.99	< 1.0	< 1.2	< 1.1	< 0.94	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.41	< 0.41	< 0.40	< 0.41	< 0.47	< 0.43	< 0.38	1.9	No
1,2-Dichloropropane	< 1.0	< 1.0	< 1.0	< 1.1	< 1.2	< 1.1	< 0.96	9.2	No
1,3,5-Trimethylbenzene	< 1.1	< 1.0	< 1.0	< 1.1	< 1.2	< 1.1	< 0.97	4.0	No
1,3-Butadiene	< 1.0	< 1.0	< 1.0	< 1.0	< 1.2	< 1.1	< 0.95	2.0	No
1,4-Dichlorobenzene	< 1.0	< 1.0	< 0.99	< 1.0	< 1.2	< 1.1	< 0.94	1,200	No
1,4-Dioxane	< 1.0	< 1.0	< 1.0	< 1.0	< 1.2	< 1.1	< 0.95	720	No
2-Butanone (MEK)	< 2.0	< 2.0	< 1.9	< 2.0	< 2.3	< 2.1	< 1.8	5,200 ⁽³⁾	No
2-Hexanone	< 2.0	< 2.0	< 2.0	< 2.0	< 2.3	< 2.1	< 1.9	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.0	< 2.0	< 2.0	< 2.1	< 2.3	< 2.2	< 1.9	3,100 ⁽³⁾	No
Acetone	11	54	< 9.7	12	< 11	< 10	< 9.2	19,000 ⁽⁴⁾	No
Acrolein	< 0.60	< 0.60	< 0.59	< 0.61	< 0.69	< 0.64	< 0.55	0.92	No
Acrylonitrile	< 0.49	< 0.49	< 0.47	< 0.49	< 0.56	< 0.51	< 0.45	2.0	No
Benzene	< 2.0	< 1.9	< 1.9	< 2.0	< 2.2	< 2.1	< 1.8	19	No
Bromomethane	< 0.99	< 0.99	< 0.96	< 1.0	< 1.1	< 1.0	< 0.91	78	No
Carbon Disulfide	< 2.0	< 2.0	< 2.0	< 2.0	< 2.3	< 2.1	< 1.9	800	No
Carbon Tetrachloride	< 0.99	< 0.99	< 0.96	< 1.0	< 1.1	< 1.0	< 0.91	190	No
Chlorobenzene	< 1.0	< 1.0	< 1.0	< 1.1	< 1.2	< 1.1	< 0.96	1,000	No
Chloroethane (Ethyl Chloride)	< 1.1	< 1.1	< 1.0	< 1.1	< 1.2	< 1.1	< 0.98	34,000	No
Chloroform	< 1.0	< 1.0	< 1.0	< 1.0	< 1.2	< 1.1	< 0.95	3.9	No
Chloromethane	1.6	1.8	1.4	2.3	2.1	2.0	< 0.95	620	No
cis-1,2-Dichloroethene	< 1.0	< 1.0	< 0.97	< 1.0	< 1.1	< 1.1	< 0.92	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 1.0	< 1.0	< 0.99	< 1.0	< 1.2	< 1.1	< 0.94	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.89	< 0.88	< 0.86	< 0.90	< 1.0	< 0.93	< 0.81	1,000	No
Ethylbenzene	< 1.1	< 1.1	< 1.0	< 1.1	< 1.2	< 1.1	< 0.98	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.12	< 0.12	< 0.12	< 0.14	< 0.13	< 0.11	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.98	< 0.98	< 0.95	< 0.99	< 1.1	< 1.0	< 0.90	400	No
Isopropyl Alcohol (Isopropanol)	< 8.0	< 8.0	< 7.7	< 8.1	< 9.1	< 8.4	< 7.3	7,000	No
m,p-Xylenes	< 2.1	< 2.1	< 2.0	< 2.1	< 2.4	< 2.2	< 1.9	2,600	No
Methyl Methacrylate	< 2.1	< 2.1	< 2.0	< 2.1	< 2.4	< 2.2	< 1.9	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 1.0	< 1.0	< 1.0	< 1.0	< 1.2	< 1.1	< 0.95	3,600	No
Naphthalene	< 2.0	< 2.0	< 1.9	< 2.0	< 2.3	< 2.1	< 1.8	9.0	No
n-Hexane	< 1.0	< 1.0	< 0.98	< 1.0	< 1.2	< 1.1	< 0.93	1,400	No
n-Nonane	< 1.0	< 1.0	< 0.99	< 1.0	< 1.2	< 1.1	< 0.94	21 ⁽³⁾	No
o-Xylene	< 1.1	< 1.0	< 1.0	< 1.1	< 1.2	< 1.1	< 0.97	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 1.0	< 1.0	< 0.99	< 1.0	< 1.2	< 1.1	< 0.94	3,000	No
Styrene	< 1.0	< 1.0	< 1.0	< 1.0	< 1.2	< 1.1	< 0.95	900	No
Tetrachloroethene (PCE)	< 1.0	< 1.0	< 1.0	< 1.1	< 1.2	< 1.1	< 0.96	41	No
Toluene	1.5	2.1	< 1.0	< 1.1	< 1.2	< 1.1	< 0.98	420	No
Trichloroethene (TCE)	< 1.0	< 1.0	< 0.99	< 1.0	< 1.2	< 1.1	< 0.94	2.2	No
Trichlorofluoromethane (CFC 11)	1.1	1.0	< 0.95	1.2	1.1	1.1	1.1	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.90	< 0.89	< 0.87	< 0.91	< 1.0	< 0.94	< 0.82	5,200 ⁽³⁾	No
Vinyl Acetate	< 10	< 10	< 10	< 10	< 12	< 11	< 9.5	2,500	No
Vinyl Chloride	< 1.0	< 1.0	< 1.0	< 1.0	< 1.2	< 1.1	< 0.95	51	No
Sulfur Compounds									
Carbon Disulfide	< 6.1	< 6.0	< 5.9	< 6.1	< 6.9	< 6.4	< 5.6	800	No
Carbonyl Sulfide	< 9.1	< 9.1	< 8.8	< 9.2	< 10	< 9.6	< 8.4	10	No
Dimethyl Sulfide	< 9.9	< 9.9	< 9.6	< 10	< 11	< 10	< 9.1	1270 ⁽⁵⁾	No
Dimethyl Disulfide	< 7.5	< 7.5	< 7.3	< 7.6	< 8.5	< 7.9	< 6.9	39 ^(5,6)	No
Hydrogen Sulfide	< 4.1	< 4.1	< 3.9	< 4.1	< 4.6	< 4.3	< 3.7	28	No
Methyl Mercaptan	< 7.7	< 7.6	< 7.4	< 7.7	< 8.7	< 8.1	< 7.0	9.8 ^(5,6)	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based) for residential air (May 2024).

(4) ATSDR acute MRL.

(5) Emergency Response Planning Guideline Value (ERPG-1) from <https://cameochemicals.noaa.gov/search/simple>

(6) U.S. Department of Energy's (DOE's) Protective Action Criteria (PAC-1) from <https://edms3.energy.gov/pac/#/>

No concentrations exceeded health-based screening levels

WEEKLY AIR MONITORING SUMMARY OF LABORATORY DATA 3/16/2026 - 3/23/2026 FINAL REMEDY CONSTRUCTION ASCON LANDFILL SITE

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	FR-AA-05								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 1.0	< 0.91	< 1.0	< 1.0	< 0.98	< 0.94	< 1.1	3,800	No
1,1,2,2-Tetrachloroethane	< 1.1	< 0.96	< 1.1	< 1.1	< 1.0	< 0.99	< 1.1	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.1	< 0.97	< 1.1	< 1.1	< 1.1	< 1.0	< 1.1	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 1.0	< 0.91	< 1.0	< 1.0	< 0.98	< 0.94	< 1.1	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.91	< 0.81	< 0.90	< 0.91	< 0.87	< 0.83	< 0.93	4.0	No
1,2,4-Trimethylbenzene	< 1.1	< 0.93	< 1.0	< 1.0	< 1.0	< 0.96	< 1.1	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.42	< 0.37	< 0.42	< 0.42	< 0.40	< 0.38	< 0.43	1.9	No
1,2-Dichloropropane	< 1.1	< 0.95	< 1.1	< 1.1	< 1.0	< 0.98	< 1.1	9.2	No
1,3,5-Trimethylbenzene	< 1.1	< 0.96	< 1.1	< 1.1	< 1.0	< 0.99	< 1.1	4.0	No
1,3-Butadiene	< 1.1	< 0.94	< 1.0	< 1.1	< 1.0	< 0.97	< 1.1	2.0	No
1,4-Dichlorobenzene	< 1.1	< 0.93	< 1.0	< 1.0	< 1.0	< 0.96	< 1.1	1,200	No
1,4-Dioxane	< 1.1	< 0.94	< 1.0	< 1.1	< 1.0	< 0.97	< 1.1	720	No
2-Butanone (MEK)	< 2.0	< 1.8	< 2.0	< 2.0	< 1.9	< 1.9	< 2.1	5,200 ⁽³⁾	No
2-Hexanone	< 2.1	< 1.8	< 2.1	< 2.1	< 2.0	< 1.9	< 2.1	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 2.1	< 1.9	< 2.1	< 2.1	< 2.0	< 1.9	< 2.1	3,100 ⁽³⁾	No
Acetone	< 10	12	< 10	10	< 9.8	< 9.4	< 10	19,000 ⁽⁴⁾	No
Acrolein	< 0.62	< 0.55	< 0.61	< 0.62	< 0.59	< 0.57	< 0.63	0.92	No
Acrylonitrile	< 0.50	< 0.44	< 0.50	< 0.50	< 0.48	< 0.46	< 0.51	2.0	No
Benzene	< 2.0	< 1.8	< 2.0	< 2.0	< 1.9	< 1.8	< 2.0	19	No
Bromomethane	< 1.0	< 0.90	< 1.0	< 1.0	< 0.97	< 0.93	< 1.0	78	No
Carbon Disulfide	< 2.1	< 1.8	< 2.0	< 2.1	< 2.0	< 1.9	< 2.1	800	No
Carbon Tetrachloride	< 1.0	< 0.90	< 1.0	< 1.0	< 0.97	< 0.93	< 1.0	190	No
Chlorobenzene	< 1.1	< 0.95	< 1.1	< 1.1	< 1.0	< 0.98	< 1.1	1,000	No
Chloroethane (Ethyl Chloride)	< 1.1	< 0.97	< 1.1	< 1.1	< 1.1	< 1.0	< 1.1	34,000	No
Chloroform	< 1.1	< 0.94	< 1.0	< 1.1	< 1.0	< 0.97	< 1.1	3.9	No
Chloromethane	1.5	1.8	1.5	2.3	2.3	2.1	< 1.1	620	No
cis-1,2-Dichloroethene	< 1.0	< 0.91	< 1.0	< 1.0	< 0.98	< 0.94	< 1.1	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 1.1	< 0.93	< 1.0	< 1.0	< 1.0	< 0.96	< 1.1	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.91	< 0.81	< 0.90	< 0.91	< 0.87	< 0.83	< 0.93	1,000	No
Ethylbenzene	< 1.1	< 0.96	< 1.1	< 1.1	< 1.0	< 1.0	< 1.1	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.12	< 0.11	< 0.12	< 0.12	< 0.12	< 0.11	< 0.13	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 1.0	< 0.89	< 1.0	< 1.0	< 0.96	< 0.92	< 1.0	400	No
Isopropyl Alcohol (Isopropanol)	< 8.2	< 7.3	< 8.1	< 8.2	< 7.8	< 7.5	< 8.4	7,000	No
m,p-Xylenes	< 2.1	< 1.9	< 2.1	< 2.1	< 2.0	< 2.0	< 2.2	2,600	No
Methyl Methacrylate	< 2.1	< 1.9	< 2.1	< 2.1	< 2.0	< 1.9	< 2.2	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 1.1	< 0.94	< 1.0	< 1.1	< 1.0	< 0.97	< 1.1	3,600	No
Naphthalene	< 2.0	< 1.8	< 2.0	< 2.0	< 1.9	< 1.9	< 2.1	9.0	No
n-Hexane	< 1.0	< 0.92	< 1.0	< 1.0	< 0.99	< 0.95	< 1.1	1,400	No
n-Nonane	< 1.1	< 0.93	< 1.0	< 1.0	< 1.0	< 0.96	< 1.1	21 ⁽³⁾	No
o-Xylene	< 1.1	< 0.96	< 1.1	< 1.1	< 1.0	< 0.99	< 1.1	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 1.1	< 0.93	< 1.0	< 1.0	< 1.0	< 0.96	< 1.1	3,000	No
Styrene	< 1.1	< 0.94	< 1.0	< 1.1	< 1.0	< 0.97	< 1.1	900	No
Tetrachloroethene (PCE)	< 1.1	< 0.95	< 1.1	< 1.1	< 1.0	< 0.98	< 1.1	41	No
Toluene	1.2	2.4	< 1.1	< 1.1	< 1.0	< 1.0	< 1.1	420	No
Trichloroethene (TCE)	< 1.1	< 0.93	< 1.0	< 1.0	< 1.0	< 0.96	< 1.1	2.2	No
Trichlorofluoromethane (CFC 11)	< 1.0	1.0	< 1.0	1.2	1.2	1.2	1.2	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.92	< 0.81	< 0.91	< 0.92	< 0.88	< 0.84	< 0.94	5,200 ⁽³⁾	No
Vinyl Acetate	< 11	< 9.4	< 10	< 11	< 10	< 9.7	< 11	2,500	No
Vinyl Chloride	< 1.1	< 0.94	< 1.0	< 1.1	< 1.0	< 0.97	< 1.1	51	No
Sulfur Compounds									
Carbon Disulfide	< 6.2	< 5.5	< 6.2	< 6.2	< 5.9	< 5.7	< 6.4	800	No
Carbonyl Sulfide	< 9.3	< 8.3	< 9.2	< 9.3	< 8.9	< 8.5	< 9.5	10	No
Dimethyl Sulfide	< 10	< 9.0	< 10	< 10	< 9.7	< 9.3	< 10	1270 ⁽⁵⁾	No
Dimethyl Disulfide	< 7.7	< 6.8	< 7.6	< 7.7	< 7.4	< 7.0	< 7.9	39 ^(5,6)	No
Hydrogen Sulfide	< 4.2	< 3.7	< 4.1	< 4.2	< 4.0	< 3.8	< 4.3	28	No
Methyl Mercaptan	< 7.9	< 7.0	< 7.8	< 7.8	< 7.5	< 7.2	< 8.0	9.8 ^(5,6)	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based) for residential air (May 2024).

(4) ATSDR acute MRL.

(5) Emergency Response Planning Guideline Value (ERPG-1) from <https://cameochemicals.noaa.gov/search/simple>

(6) U.S. Department of Energy's (DOE's) Protective Action Criteria (PAC-1) from <https://edms3.energy.gov/pac/#/>

No concentrations exceeded health-based screening levels

WEEKLY AIR MONITORING SUMMARY OF LABORATORY DATA 3/16/2026 - 3/23/2026 FINAL REMEDY CONSTRUCTION ASCON LANDFILL SITE

Target Chemicals	STATION ID							Comparison Criteria ($\mu\text{g}/\text{m}^3$) ⁽¹⁾	Detection Exceeds Comparison
	FR-AA-06								
	3/16-3/17/2026	3/17-3/18/2026	3/18-3/19/2026	3/19-3/20/2026	3/20-3/21/2026	3/21-3/22/2026	3/22-3/23/2026		
	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours	24 Hours		
Volatile Organic Compounds									
1,1,1-Trichloroethane (TCA)	< 0.95	< 1.0	< 0.94	< 0.96	< 0.88	< 0.96	< 0.97	3,800	No
1,1,2,2-Tetrachloroethane	< 0.99	< 1.1	< 0.98	< 1.0	< 0.92	< 1.0	< 1.0	83 ⁽²⁾	No
1,1,2-Trichloroethane (Vinyl Chloroform)	< 1.0	< 1.1	< 1.0	< 1.0	< 0.94	< 1.0	< 1.0	11	No
1,1-Dichloroethane (Ethylidene Dichloride)	< 0.95	< 1.0	< 0.94	< 0.96	< 0.88	< 0.96	< 0.97	830 ⁽²⁾	No
1,1-Dichloroethene (1,1-DCE)	< 0.84	< 0.91	< 0.83	< 0.85	< 0.78	< 0.85	< 0.86	4.0	No
1,2,4-Trimethylbenzene	< 0.97	< 1.1	< 0.96	< 0.98	< 0.90	< 0.98	< 0.99	4.0	No
1,2-Dibromo-3-Chloropropane (DBCP)	< 0.39	< 0.42	< 0.38	< 0.39	< 0.36	< 0.39	< 0.40	1.9	No
1,2-Dichloropropane	< 0.98	< 1.1	< 0.97	< 1.0	< 0.91	< 1.0	< 1.0	9.2	No
1,3,5-Trimethylbenzene	< 0.99	< 1.1	< 0.98	< 1.0	< 0.92	< 1.0	< 1.0	4.0	No
1,3-Butadiene	< 0.98	< 1.1	< 0.96	< 0.99	< 0.91	< 0.99	< 1.0	2.0	No
1,4-Dichlorobenzene	< 0.97	< 1.1	< 0.96	< 0.98	< 0.90	< 0.98	< 0.99	1,200	No
1,4-Dioxane	< 0.98	< 1.1	< 0.96	< 0.99	< 0.91	< 0.99	< 1.0	720	No
2-Butanone (MEK)	< 1.9	< 2.1	< 1.9	< 1.9	< 1.7	< 1.9	< 1.9	5,200 ⁽³⁾	No
2-Hexanone	< 1.9	< 2.1	< 1.9	< 1.9	< 1.8	< 1.9	< 2.0	31 ⁽³⁾	No
4-Methyl-2-pentanone	< 1.9	< 2.1	< 1.9	< 2.0	< 1.8	< 2.0	< 2.0	3,100 ⁽³⁾	No
Acetone	10	16	9.8	12	9.0	< 9.5	< 9.7	19,000 ⁽⁴⁾	No
Acrolein	< 0.57	< 0.62	< 0.56	< 0.58	< 0.53	< 0.58	< 0.59	0.92	No
Acrylonitrile	< 0.46	< 0.50	< 0.46	< 0.47	< 0.43	< 0.47	< 0.47	2.0	No
Benzene	< 1.8	< 2.0	< 1.8	< 1.9	< 1.7	< 1.9	< 1.9	19	No
Bromomethane	< 0.94	< 1.0	< 0.93	< 0.95	< 0.87	< 0.95	< 0.96	78	No
Carbon Disulfide	< 1.9	< 2.1	< 1.9	< 1.9	< 1.8	< 1.9	< 2.0	800	No
Carbon Tetrachloride	< 0.94	< 1.0	< 0.93	< 0.95	< 0.87	< 0.95	< 0.96	190	No
Chlorobenzene	< 0.98	< 1.1	< 0.97	< 1.0	< 0.91	< 1.0	< 1.0	1,000	No
Chloroethane (Ethyl Chloride)	< 1.0	< 1.1	< 1.0	< 1.0	< 0.94	< 1.0	< 1.0	34,000	No
Chloroform	< 0.98	< 1.1	< 0.96	< 0.99	< 0.91	< 0.99	< 1.0	3.9	No
Chloromethane	1.7	1.8	1.6	2.1	2.3	2.1	< 1.0	620	No
cis-1,2-Dichloroethene	< 0.95	< 1.0	< 0.94	< 0.96	< 0.88	< 0.96	< 0.97	8.3 ⁽²⁾	No
Cumene (Isopropylbenzene)	< 0.97	< 1.1	< 0.96	< 0.98	< 0.90	< 0.98	< 0.99	420 ⁽³⁾	No
Dichloromethane (Methylene Chloride)	< 0.84	< 0.91	< 0.83	1.6	< 0.78	< 0.85	< 0.86	1,000	No
Ethylbenzene	< 1.0	< 1.1	< 0.99	< 1.0	< 0.93	< 1.0	< 1.0	8,700	No
Ethylene Dibromide (1,2-Dibromoethane)	< 0.11	< 0.12	< 0.11	< 0.12	< 0.11	< 0.12	< 0.12	0.8	No
Ethylene Dichloride (1,2-Dichloroethane)	< 0.93	< 1.0	< 0.92	< 0.94	< 0.86	< 0.94	< 0.95	400	No
Isopropyl Alcohol (Isopropanol)	< 7.5	< 8.2	< 7.5	< 7.7	< 7.0	< 7.6	< 7.7	7,000	No
m,p-Xylenes	< 2.0	< 2.2	< 1.9	< 2.0	< 1.8	< 2.0	< 2.0	2,600	No
Methyl Methacrylate	< 2.0	< 2.1	< 1.9	< 2.0	< 1.8	< 2.0	< 2.0	730 ⁽³⁾	No
Methyl tert-Butyl Ether	< 0.98	< 1.1	< 0.96	< 0.99	< 0.91	< 0.99	< 1.0	3,600	No
Naphthalene	< 1.9	< 2.1	< 1.9	< 1.9	< 1.7	< 1.9	< 1.9	9.0	No
n-Hexane	< 0.96	< 1.0	< 0.95	< 0.97	< 0.89	< 0.97	< 0.98	1,400	No
n-Nonane	< 0.97	< 1.1	< 0.96	< 0.98	< 0.90	< 0.98	< 0.99	21 ⁽³⁾	No
o-Xylene	< 0.99	< 1.1	< 0.98	< 1.0	< 0.92	< 1.0	< 1.0	2,600	No
Phenol	NF	NF	NF	NF	NF	NF	NF	200	No
Propylene (Propene)	< 0.97	< 1.1	< 0.96	< 0.98	< 0.90	< 0.98	< 0.99	3,000	No
Styrene	< 0.98	< 1.1	< 0.96	< 0.99	< 0.91	< 0.99	< 1.0	900	No
Tetrachloroethene (PCE)	< 0.98	< 1.1	< 0.97	< 1.0	< 0.91	< 1.0	< 1.0	41	No
Toluene	1.2	1.9	< 0.99	< 1.0	< 0.93	< 1.0	< 1.0	420	No
Trichloroethene (TCE)	< 0.97	< 1.1	< 0.96	< 0.98	< 0.90	< 0.98	< 0.99	2.2	No
Trichlorofluoromethane (CFC 11)	1.1	< 1.0	1.0	1.1	1.1	1.2	1.1	1,300 ⁽²⁾	No
Trichlorotrifluoroethane	< 0.85	< 0.92	< 0.84	< 0.86	< 0.79	< 0.86	< 0.87	5,200 ⁽³⁾	No
Vinyl Acetate	< 9.7	< 11	< 9.6	< 9.9	< 9.0	< 9.8	< 10	2,500	No
Vinyl Chloride	< 0.98	< 1.1	< 0.96	< 0.99	< 0.91	< 0.99	< 1.0	51	No
Sulfur Compounds									
Carbon Disulfide	< 5.7	< 6.3	< 5.7	< 5.8	< 5.3	< 5.8	< 5.9	800	No
Carbonyl Sulfide	< 8.6	< 9.4	< 8.5	< 8.7	< 8.0	< 8.7	< 8.8	10	No
Dimethyl Sulfide	< 9.3	< 10	< 9.2	< 9.5	< 8.7	< 9.4	< 9.6	1270 ⁽⁵⁾	No
Dimethyl Disulfide	< 7.1	< 7.7	< 7.0	< 7.2	< 6.6	< 7.2	< 7.3	39 ^(5,6)	No
Hydrogen Sulfide	< 3.8	< 4.2	< 3.8	< 3.9	< 3.6	< 3.9	< 3.9	28	No
Methyl Mercaptan	< 7.2	< 7.9	< 7.2	< 7.4	< 6.7	< 7.3	< 7.4	9.8 ^(5,6)	No

Notes:

"<" - Analyte not detected in sample above the method reporting limit or method detection limit (MDL) as applicable. "NF" - Compound was searched for as a tentatively identified compound, but not found.

The 24-hour sample collection period is from approximately 7 AM to 7 AM the following day.

(1) CDC's Agency for Toxic Substances and Disease Registry's intermediate minimal risk level (ATSDR MRL); if unavailable, OEHHA chronic REL, then ATSDR chronic MRL values, unless otherwise noted (REL/MRL databases updated May 2024).

(2) Department of Toxic Substances Control (DTSC) Human Health and Ecological Risk Office (HERO) Note 3 residential screening level (noncancer-based) for air (May 2022) or Note 10 (February 2019).

(3) United States Environmental Protection Agency (USEPA) Regional Screening Level (RSL) noncancer-based) for residential air (May 2024).

(4) ATSDR acute MRL.

(5) Emergency Response Planning Guideline Value (ERPG-1) from <https://cameochemicals.noaa.gov/search/simple>

(6) U.S. Department of Energy's (DOE's) Protective Action Criteria (PAC-1) from <https://edms3.energy.gov/pac/#/>